



**Einhell**

**PROFESSIONAL**

**GARDEN  
2026**



## ***THE EINHELL PROFESSIONAL PHILOSOPHY.***

**Quality you can see. Performance you can feel.  
Designed for everyone who needs to deliver on a daily  
basis.**

Anyone working professionally needs tools they can rely on at all times. The Einhell Professional range stands for uncompromising performance, high-quality workmanship and a clear focus on the needs of commercial users. It is specifically designed for professional tradespeople, gardeners and landscapers, as well as demanding power users who use their tools intensively on a daily basis under heavy-duty conditions.

### **Target audience: Commercial users with professional requirements**

Here, uncompromising quality meets sophisticated design and maximum performance.

### **Performance**

More powerful and compact brushless motors for optimised power transmission enable faster progress and consistent performance.

### **Quality of materials**

The use of robust housing materials, reinforced components and durable gearboxes ensures significantly improved resistance to wear, dirt, moisture and mechanical stress.

### **Functionality**

Additional features such as ergonomic soft grips, intelligent controls and advanced safety functions enhance efficiency, precision and user comfort in day-to-day professional use.

### **Ergonomics & Design**

A distinctive, high-quality product design conveys professionalism at first glance. Improved ergonomics, optimised grip areas, balanced weight distribution and high-quality finishes inspire confidence and enhance the quality of day-to-day work.



## POWER X-CHANGE

<b>Power X-Change Battery System</b>	<b>6</b>
Batteries	9
Twin-Packs	10
Starter Kits	11
Chargers	11

## PROFESSIONAL POWER X-CHANGE DEVICES

Professional Cordless Lawn Mowers	14
Professional Cordless Scarifiers/Aerators	22
Professional Cordless Tillers	24
Professional Cordless Snow Thrower	25
Professional Cordless Earth Auger	26
Professional Cordless Scythes	27
Professional Cordless Lawn Trimmers	29
Professional Cordless Hedge Trimmers	30
Professional Cordless Multifunctional Tools	33
Professional Cordless Pole-Mounted Pruners	34
Professional Cordless Telescopic Hedge Trimmers	35
Professional Cordless Chainsaws	36
Professional Top-Handled Cordless Chainsaws	38
Professional Cordless Pruning Chainsaw	39
Professional Cordless Leaf Blowers	40
Professional Cordless Leaf Vacuums	45
Professional Cordless Pruning Shears	46



Do you have any questions?

The Einhell Service hotline will be happy to help you.

### Einhell Service

Eschenstr. 6  
 94405 Landau/Isar  
 Germany

Tel. +49 9951 959 2000

Service-DE@einhell.com  
 www.einhell-service.de

### Einhell Germany AG

Wiesenweg 22  
 94405 Landau/Isar  
 Germany

info@einhell.de  
 www.einhell.de

# MORE POWER FOR PROS.

**MORE**

**PERFORMANCE.\***  
**ENDURANCE.\***  
**WARRANTY.\*\***  
**LIFETIME.\***  
**FUNCTIONALITY.**

\* Approximate values compared to standard carbon brush motors  
\*\* For Brushless Motors upon online registration

## WITH BRUSHLESS MOTOR


**25%** MORE Performance\*  
**50%** MORE Endurance\*  
**100%** MORE Lifetime\*  
**>>> 10 year Motor warranty\*\***

\* Approximate values in comparison to conventional carbon brush motors.  
\*\* Upon online registration.

### ENHANCED MOTOR PERFORMANCE AND MORE BATTERY POWER

The PROFESSIONAL tool range and brushless technology form the Dream Team for: More power. More reliability. More endurance.

Combined, they ensure that these powerful cordless tools exceed even the highest expectations.



# THE EINHELL GUARANTEE PROMISE.

In addition to offering excellent value for money, we also ensure that our products are reliable, high-quality and safe.

This is reflected in our various warranties: take advantage of our warranty extension on Einhell tools and Power X-Change batteries to benefit from our top warranty service for even longer.

- » **3-Year Einhell Product Warranty**  
Warranty extension for your Power X-Change device to 3 years.
- » **30 DAY Money Backk Guarantee**  
For 100% satisfaction with your Power X-Change device.
- » **Power X-Change Battery Warranty**  
Warranty extension for Power X-Change batteries to 3 years.



\* This warranty covers only defects in the engine that are due to a material or manufacturing defect!

## THIS IS HOW

**Find out more** at [einhell.de](http://einhell.de), **register** in your customer account and **apply** for the warranty. Further information is available at [www.einhell.de/en/services/warranties/](http://www.einhell.de/en/services/warranties/)

# PROFESSIONAL WARRANTIES

- » **PROFESSIONAL WARRANTY**  
3-year warranty, even for commercial use. Confident of the durability of our PROFESSIONAL tools and garden equipment, we offer an extended 3-year warranty, even for commercial use.
- » **BRUSHLESS WARRANTY**  
10-year warranty on Einhell brushless motors. We are committed to the reliable quality of our tools and the safety of our products. When you register your new Einhell brushless product, the warranty on your Einhell brushless motor is extended to a total of 10 years.



## THIS IS HOW

**Find out more** at [einhell.de](http://einhell.de), **register** in your customer account and **apply** for the warranty. Further information is available at [www.einhell.de/en/services/warranties/](http://www.einhell.de/en/services/warranties/)

## **ONE BATTERY FOR OVER 350 TOOLS, ELIMINATING SYSTEM CHAOS.**

**POWER X-CHANGE** is the only truly standardised battery platform for home, garden and workshop use. While other manufacturers use diverse battery systems, Einhell consistently relies on **a single, universal platform for all purposes**. The **PXC BATTERY** fits in any device, regardless of whether you are using a drill, lawn mower, wet and dry vacuum cleaner or high-pressure cleaner. **This eliminates system chaos, the need for different chargers and compatibility issues.**

Other brands offer separate battery platforms for each of their performance ranges. This leads to confusion and additional expense, because different batteries are needed for different devices. With **POWER X-CHANGE**, you won't have this problem! A single system covers the entire range of tools, from garden equipment and household tools to recreational products.

### **FLEXIBILITY AND PERFORMANCE ACCORDING TO YOUR NEEDS.**

Each situation poses unique challenges in terms of performance. With **POWER X-CHANGE**, you are free to select the precise battery capacity that suits your project's needs. Thanks to battery options ranging from **2.0 Ah to 8.0 Ah**, you are free to choose whether you prefer lightweight tools with low energy needs or high-performance machines with maximum runtime.

For particularly demanding tasks, **two 18 V batteries can be combined to produce 36 V.**

#### **Runtime is automatically doubled on certain tools**

Selected tools intelligently run on two 18 V batteries, one after the other:

- One PXC battery runs while the other waits its turn.
- The tool automatically switches over to the second battery when needed.

This results in double the runtime, with no need for interruptions or manual action.

When combined with tools that use two batteries at once for 36 V, you can have up to four batteries in place, offering 2x 36 V and automatically switching over. Perfect for prolonged use and steady performance.



### THE BATTERY PLATFORM THAT GROWS WITH YOU.

A single investment in the **POWER X-CHANGE** system offers long-term flexibility. From a cordless screwdriver today to hedge trimmers tomorrow, your PXC battery grows as your projects develop. The platform is designed for expansion, so that you can add new tools at any time without having to worry about battery compatibility.

Featuring over 350 tools, **POWER X-CHANGE** is one of the largest battery platforms on the market. The product range is constantly growing, ensuring not only that you have the right tool for your current project but also that you are well equipped for the challenges to come. **Einhell is focused on the future: once you join the system, you will benefit from new opportunities for years to come.**

### COST-EFFICIENT AND PRACTICAL.

**POWER X-CHANGE** saves not only money but also space. Why buy a separate battery for every device when a single battery type is enough for all applications? This reduces purchase costs and eliminates the need for extra chargers.

The sophisticated battery technology ensures that PXC batteries have a particularly long service life. Fewer batteries mean less electronic waste. And you, as the user, save money at the same time.

### INNOVATIVE BATTERY TECHNOLOGIES.

For use under the toughest conditions, **SEALED Technology** (rated IP57) protects the PXC battery from water and dust.

With up to 1350 watts of power per PXC battery, PXC tools offer top-rate cordless performance. Thanks to **Twin Pack Technology**, two 18 V batteries can be combined to produce 36 V, providing up to 2700 watts of power.

**Multi-Ah Technology** allows you to choose between maximum runtime (+60 %) and a service life that is 3x longer by simply pushing a button.

**The Active Battery Management System (ABS)** reliably protects the battery from overload, deep discharge and overheating through constant cell monitoring and smart load management. At the same time, ABS optimizes each cell for maximum runtime, extended service life and safe performance. In sleep mode, the system saves energy, keeping the battery ready for use.

With **POWER X-CHANGE Plus**, batteries offer not only more capacity, but also more power, exactly when and where it is needed.




## POWER X-CHANGE PLUS

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.


Benefits? The new batteries are 13% more compact and 12% lighter than their predecessors – at 100% power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



## MULTI-AH

Thanks to MULTI-Ah Technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers them maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).



## TWIN-PACK

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack Technology. Doubling the voltage automatically doubles the power.

Double Twin-Pack Technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.



# SEALED



## NO CHANCE FOR DUST AND WATER.

Officially tested according to IP57 protection class.\*

### WHAT DOES IP57 MEAN?

#### DUST 5

Protected from all types of foreign bodies and dust – be it wood, brick or metal.



#### 7 WATER

Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.



In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

\* Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery.

## SEALED TECHNOLOGY

Our most advanced battery system SEALED

- >> First IP57 rechargeable battery worldwide
- >> High Power 4 Ah Battery Pack
- >> Water proof
- >> Dust proof



**DUST  
PROOF**

**WATER  
PROOF**

### Accessories – Batteries

#### 4.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage / capacity	18 V / 4.0 Ah
Battery power	max. 900 W
Product weight	0.61 kg
Article number	4511627
EAN	4 006825 673227

#### 3.0 Ah SEALED Power X-Change Plus Battery












Items supplied	1 battery
PXC battery voltage / capacity	18 V / 3.0 Ah
Battery power	max. 900 W
Product weight	0.60 kg
Article number	4511618
EAN	4 006825 672794

## ACCESSORIES – BATTERIES











### One battery for all devices

Our rechargeable batteries are not only available individually (solo item), but also in a Twin Pack. To get started in the Einhell world, we recommend choosing a Starter Kit (battery + charger).

◀◀ Less weight and size PXC Batteries More power and runtime ▶▶

					
	2.0 Ah	2.5 Ah	3.0 Ah PLUS	3.0 Ah SEALED	4.0 Ah
Article number (1 battery)	4511395	Only available in Starter Kits	4511501	4511618	4511396
EAN		-			
Power	max. 450 W	max. 720 W	max. 900 W	max. 900 W	max. 900 W
Weight	400 g	460 g	585 g	595 g	670 g
Features					
PLUS - Extra Power			✓	✓	
SEALED				✓	
Multi-Ah					

◀◀ Less weight and size PXC Batteries More power and runtime ▶▶

					
	4.0 Ah PLUS	4.0 Ah SEALED	5.2 Ah	4-6 Multi-Ah	5-8 Multi-Ah
Article number (1 battery)	4511553	4511627	4511437	4511502	4511600
EAN					
Power	max. 900 W	max. 900 W	max. 1260 W	max. 1350 W	max. 1350 W
Weight	595 g	605 g	890 g	1020 g	1050 g
Features					
PLUS - Extra Power	✓	✓		✓	✓
SEALED		✓			
Multi-Ah				✓	✓

				
	3.0 Ah PLUS	4.0 Ah	4.0 Ah PLUS	5.2 Ah
Article number Twin-Pack (2 batteries)	4511631	4511489	4511629	4511526
EAN				

## ACCESSORIES – STARTER KITS

Getting started is easy – with the Einhell Power X-Change Starter Kit

Technical data and features at a glance:



	2.5 Ah	4.0 Ah	4.0 Ah PLUS	5.2 Ah	4-6 Multi-Ah
<b>Article number</b> (1 battery + 1 charger)	4512097	4512042	4512159	4512147	4512143
<b>EAN</b>					
<b>Article number</b> (2 batteries + 1 Twincharger)	-	4512112	-	-	-
<b>EAN</b>	-		-	-	-
<b>Charger</b> (More information in the charger table)	3 A Charger	3 A Charger / 3 A Twincharger	3 A Charger	3 A Charger	6 A Boostcharger
<b>Ready to go</b>	50 min	75 min	75 min	100 min	60 min

## ACCESSORIES – CHARGERS

One charger for all batteries – 100 % compatibility



	3 A Charger	3 A Carcharger	4 A Fastcharger	6 A Boostcharger	8 A Boostcharger
<b>Article number</b> (1 charger)	Only available in Starter Kits	4512113	4512103	Only available in Starter Kits	4512155
<b>EAN</b>	-			-	
<b>Charging current</b>	3 A	3 A	4 A	6 A	8 A
<b>Number of ports for PXC batteries</b>	1	1	1	1	1




	3 A Twincharger	4 A Twincharger	4 A Quattrocharger
<b>Article number</b> (1 charger)	4512069	4512161	4512102
<b>EAN</b>			
<b>Charging current</b>	3 A (per Port)	4 A (per Port)	4 A (per Port) (parallel charging of 2x2 batteries)
<b>Number of ports for PXC batteries</b>	2	2	4



- > Endless extendable
- > Tongue and groove connection
- > Snap-in function for secure fastening

## PXC ACCESSORIES

### Battery Mounting Gadget


Items supplied	2 battery mounting gadgets, 4 screws, 4 dowels	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Special feature	The batteries latch in place and are secure in every position	
Article number	4514155	 4 006825 658774



- > Protects the battery against dust and moisture

## PXC ACCESSORIES

### Battery Protector

Items supplied	1 battery cover	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Can be used for (devices)	HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li	
Special feature	Protects the battery against dust and moisture	
Article number	4140151	 4 006825 670844

## BATTERY CHARGING TIME TABLE

	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>Power X-Charger 3 A</b>							
<b>Power X-Twincharger 3 A</b> (parallel charging of 2 batteries)	40 min	50 min	60 min	75 min	100 min	120 min	160 min
<b>Power X-Car Charger 3 A</b>							
<b>Power X-Fastcharger 4 A</b>							
<b>Power X-Twincharger 4 A</b> (parallel charging of 2 batteries)	30 min	37 min	45 min	60 min	80 min	90 min	120 min
<b>2x2 Power X-Quattrocharger 4 A</b> (parallel charging of 2 batteries)							
<b>Power X-Boostcharger 6 A *</b>	30 min	27 min	32 min	40 min	50 min	60 min	80 min
<b>Power X-Boostcharger 8 A **</b>	30 min	27 min	32 min	40 min	40 min	45 min	60 min

**Shorter charging time**

**-25%**

**-50%**

**-60%**

\* Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.

\*\* Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.

# PROFESSIONAL DEVICES




## Operating times

The product descriptions specify the operating times that the devices can achieve when using the various batteries.

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For optimum performance of the devices, we recommend the batteries with operating times highlighted in dark grey

## PROFESSIONAL CORDLESS LAWN MOWER GP-CM 36/52 S Li Brushless

PXC battery voltage	2x 18 V (4 battery slots)
Battery charging time 18 V / 5.2 Ah	100 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1200 m <sup>2</sup>
Cutting width	52 cm
Cutting height adjustment	9 levels / 25 - 80 mm / central
Grass box capacity	65 l
Wheel diameter front / rear	204 mm / 280 mm
Housing material	Steel
ECO mode for prolonged operating time	.
Product weight	29.7 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	4 pcs (18 V   5.2 Ah   Li-Ion) / 2 pcs (Twinchargers)
Article number	3413320 



**BRUSHLESS  
DOUBLE TWINPACK**

### 2x 18 V

Max. lawn area that can be mown per battery charge with 2 batteries (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
275 m <sup>2</sup>	315 m <sup>2</sup>	350 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>

Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)


550 m <sup>2</sup>	630 m <sup>2</sup>	700 m <sup>2</sup>	900 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>	1600 m <sup>2</sup>
--------------------	--------------------	--------------------	--------------------	---------------------	---------------------	---------------------

## Matching accessories

Spare blade	3405980 
-------------	---



# PROFESSIONAL CORDLESS LAWN MOWER GP-CM 36/47 S Li Brushless

PXC battery voltage	2x 18 V (4 battery slots)	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	700 m <sup>2</sup>	
Cutting width	47 cm	
Cutting height adjustment	9 levels / 25 - 80 mm / central	
Grass box capacity	65 l	
Wheel diameter front / rear	204 mm / 280 mm	
Housing material	Steel	
ECO mode for prolonged operating time	•	
Product weight	29.6 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	4 pcs (18 V   4.0 Ah   Li-Ion) / 2 pcs (Twinchargers)	
Article number	3413310	



## BRUSHLESS DOUBLE TWINPACK

### 2x 18 V

Max. lawn area that can be mown per battery charge with 2 batteries (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
175 m <sup>2</sup>	215 m <sup>2</sup>	250 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>

Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)


350 m <sup>2</sup>	430 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>
--------------------	--------------------	--------------------	--------------------	---------------------	---------------------	---------------------

## Matching accessories

Spare blade	3405970	
-------------	---------	---



## PROFESSIONAL CORDLESS LAWN MOWER GP-CM 36/47 S HW Li Brushless

PXC battery voltage	2x 18 V (4 battery slots)	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	700 m <sup>2</sup>	
Cutting width	47 cm	
Cutting height adjustment	6 levels / 30 - 65 mm / central	
Grass box capacity	75 l	
Wheel diameter front / rear	200 mm / 280 mm	
Housing material	Steel	
Product weight	31.0 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	4 pcs (18 V   4.0 Ah   Li-Ion) / 2 pcs (Twinchargers)	
Cleaning tool	•	
Article number	3413200	 4 006825 639506



**BRUSHLESS  
DOUBLE TWINPACK**

### 2x 18 V

Max. lawn area that can be mown per battery charge with 2 batteries (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
175 m <sup>2</sup>	215 m <sup>2</sup>	250 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>

Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)


350 m <sup>2</sup>	430 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>
--------------------	--------------------	--------------------	--------------------	---------------------	---------------------	---------------------

## Matching accessories

Spare blade	3405455	 4 006825 631050
-------------	---------	---



## PROFESSIONAL CORDLESS LAWN MOWER RASARRO 36/42

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 5.2 Ah	100 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	725 m <sup>2</sup>	
Cutting width	42 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	50 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
Product weight	17.2 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V   5.2 Ah   Li-Ion) / 1 pc (Twincharger)	
Article number	3413272	 4 006825 669138

### 2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
300 m <sup>2</sup>	350 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>	725 m <sup>2</sup>	875 m <sup>2</sup>	1100 m <sup>2</sup>




**BRUSHLESS**

## Matching accessories

Spare blade	3405454	 4 006825 651386
-------------	---------	---



## PROFESSIONAL CORDLESS LAWN MOWER RASARRO 36/40

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m <sup>2</sup>	
Cutting width	40 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	50 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
Product weight	17.4 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V   4.0 Ah   Li-Ion) / 1 pc (Twincharger)	
Article number	3413278	 4 006825 669121



**BRUSHLESS**

### 2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
280 m <sup>2</sup>	330 m <sup>2</sup>	425 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	850 m <sup>2</sup>	1000 m <sup>2</sup>

## Matching accessories

Spare blade	3405454	 4 006825 651386
-------------	---------	---



## PROFESSIONAL CORDLESS LAWN MOWER RASARRO 36/38

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	450 m <sup>2</sup>	
Cutting width	38 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	45 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
Product weight	15.5 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V   4.0 Ah   Li-Ion) / 1 pc (Twincharger)	
Article number	3413180	

### 2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
300 m <sup>2</sup>	330 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>



**BRUSHLESS**

## Matching accessories

Spare blade	3405486	
-------------	---------	---



## PROFESSIONAL CORDLESS LAWN MOWER GP-CM 36/41 Li Brushless

PXC battery voltage	2x 18 V
Cutting width	41 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	15.2 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3413275



### 2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
280 m <sup>2</sup>	330 m <sup>2</sup>	425 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	850 m <sup>2</sup>	1000 m <sup>2</sup>




**BRUSHLESS**

## Matching accessories

Spare blade	3405454
-------------	---------



## PROFESSIONAL CORDLESS LAWN MOWER GP-CM 36/450

PXC battery voltage	2x 18 V	
Cutting width	38 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	45 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
Product weight	15.8 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V   4.0 Ah   Li-Ion) / 1 pc (Twincharger)	
Article number	3413292	 4 006825 672961

### 2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
300 m <sup>2</sup>	330 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>



**BRUSHLESS**


## Matching accessories

Spare blade	3405486	 4 006825 655843
-------------	---------	---



## PROFESSIONAL CORDLESS SCARIFIERS/AERATORS GP-SA 36/40 Li Brushless

**NEW**

PXC battery voltage	2x 18 V (4 battery slots)	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1100 m <sup>2</sup>	
Working width	40 cm	
Working depth adjustments	3 settings + parking position (-3/-6/-9/+10 mm)	
Number of blades	18 pcs	
Wheel diameter front / rear	178 mm / 178 mm	
Housing material	Steel	
Product weight	18.5 kg (excl. batteries)	
Number of aerator claws	52 pcs	
Grass box capacity	45 l	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3420616	 4 006825 689532





**DOUBLE TWINPACK**

**2x 18 V**

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

<b>2.0 Ah</b> 300 m <sup>2</sup>	<b>2.5 Ah</b> 380 m <sup>2</sup>	<b>3.0 Ah</b> 450 m <sup>2</sup>	<b>4.0 Ah</b> 600 m <sup>2</sup>	<b>5.2 Ah</b> 800 m <sup>2</sup>	<b>6.0 Ah</b> 900 m <sup>2</sup>	<b>8.0 Ah</b> 1100 m <sup>2</sup>
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------------------


### Matching accessories

Catch bag	3405963	 4 006825 687989
Aerator Roller	3405964	 4 006825 687996



# PROFESSIONAL CORDLESS SCARIFIERS/AERATORS GP-SC 36/40 Li Brushless

**NEW**

PXC battery voltage	2x 18 V (4 battery slots)	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1100 m <sup>2</sup>	
Working width	40 cm	
Working depth adjustments	3 settings + parking position (-3/-6/-9/+10 mm)	
Number of blades	18 pcs	
Wheel diameter front / rear	178 mm / 178 mm	
Housing material	Steel	
Product weight	18.5 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3420615	





## 2x 18 V

**Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)**

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
300 m <sup>2</sup>	380 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>	1100 m <sup>2</sup>


**DOUBLE TWINPACK**

## Matching accessories

Catch bag	3405963	
Aerator Roller	3405964	



## PROFESSIONAL CORDLESS TILLER GP-CR 36/45 Li E Brushless

PXC battery voltage	2x 18 V (4 battery slots)	
Working width	30 - 45 cm	
Working depth	230 mm	
Number of blades	4 - 6 St.	
Cultivator blade diameter	245 mm	
Housing material	Metal	
Product weight	23.8 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3431220	 4 006825 675108



**BRUSHLESS  
DOUBLE TWINPACK**

### 2x 18 V

Max. operating time per battery charge with 2 identical batteries (The stated area coverage is based on the assumption of ideal conditions)


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
8-10 min	10-13 min	13-16 min	16-20 min	22-28 min	24-32 min	32-40 min

Max. operating time per battery charge with 4 identical batteries (The stated area coverage is based on the assumption of ideal conditions)

16-20 min	20-26 min	26-32 min	32-40 min	44-56 min	48-64 min	64-80 min
-----------	-----------	-----------	-----------	-----------	-----------	-----------



## PROFESSIONAL CORDLESS SNOW THROWER GP-ST 36/53 Li E Brushless

PXC battery voltage	2x 18 V (4 battery slots)	
Working width	53 cm	
Max. snow height	33 cm	
Throwing distance max.	8 m	
Housing material	Plastic	
Product weight	20.4 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3417021	

### 2x 18 V

Max. operating time per battery charge with 2 identical batteries (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
6 min	7 min	10 min	12 min	15 min	20 min	24 min

Max. operating time per battery charge with 4 identical batteries (The stated area coverage is based on the assumption of ideal conditions)


12 min	14 min	20 min	24 min	30 min	40 min	48 min
--------	--------	--------	--------	--------	--------	--------



**BRUSHLESS  
DOUBLE TWINPACK**



## PROFESSIONAL CORDLESS EARTH AUGER GP-EA 18/150 Li Brushless

PXC battery voltage	18 V
Drilling diameter	150 mm
Drill bit length	800 mm
Speed	125 min <sup>-1</sup>
Product weight	6.0 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3437000 

1x 18 V









Drilling in normal to soft ground (40 cm deep) – maximum number of holes per battery charge

<b>2.0 Ah</b>	<b>2.5 Ah</b>	<b>3.0 Ah</b>	<b>4.0 Ah</b>	<b>5.2 Ah</b>	<b>6.0 Ah</b>	<b>8.0 Ah</b>
15 pcs	20 pcs	30 pcs	40 pcs	50 pcs	60 pcs	80 pcs



**BRUSHLESS**

### Cordless Earth Augers Accessories


Type	Article number	EAN
 Earth Auger 200 mm	3437022	
 Earth Auger 120 mm	3437010	
 Mortar Mixer	3437011	
 Extension	3437012	



-  **Brushless motor**  
durable and powerful
-  **Metal frame**  
maximum stability
-  **3 modes**  
◻ anti-clockwise  
◻ clockwise  
◻ in standard/HIGH power
-  **Double handle**  
ergonomic working
-  **Drill change**  
Tool-free



## PROFESSIONAL CORDLESS SCYTHE GP-BC 36/430 Li Brushless

PXC battery voltage	2x 18 V	
Cutting width (blade)	25.5 cm	
Cutting width (thread)	43 cm	
Thread diameter	2.0 mm	
Thread length	6 m	
Product weight	6.8 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Double thread spool	•	
3-tooth blade	•	
Carrying strap	Backpack carrying strap	
Article number	3411340	 4 006825 679571

### 2x 18 V


Max. operating time per battery charge with blade in idle mode (dependent on the selected speed)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
22-36 min	28-45 min	34-55 min	42-70 min	55-95 min	68-110 min	90-140 min

Max. operating time per battery charge with thread spool in idle mode (dependent on the selected speed)

14-22 min	18-28 min	22-34 min	28-45 min	36-60 min	45-68 min	56-86 min
-----------	-----------	-----------	-----------	-----------	-----------	-----------

## Matching accessories

Spare double thread spool, thread Ø 2.0 mm	3405103	 4 006825 679755
--	---------	---




**BRUSHLESS**

Accessories incl.



## PROFESSIONAL CORDLESS SCYTHE GP-BC 36/430 Li P Brushless

PXC battery voltage	2x 18 V	
Cutting width (blade)	25.5 cm	
Cutting width (thread)	43 cm	
Thread diameter	2.0 mm	
Thread length	6 m	
Product weight	6.2 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Double thread spool	•	
3-tooth blade	•	
Carrying strap	One-shoulder harness	
Article number	3411345	 4 006825 679588

### 2x 18 V


Max. operating time per battery charge with blade in idle mode (dependent on the selected speed)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
22-36 min	28-45 min	34-55 min	42-70 min	55-95 min	68-110 min	90-140 min

Max. operating time per battery charge with thread spool in idle mode (dependent on the selected speed)

14-22 min	18-28 min	22-34 min	28-45 min	36-60 min	45-68 min	60-86 min
-----------	-----------	-----------	-----------	-----------	-----------	-----------

## Matching accessories

Spare double thread spool, thread Ø 2.0 mm	3405103	 4 006825 679755
--	---------	---




**BRUSHLESS**

Accessories incl.



## PROFESSIONAL CORDLESS LAWN TRIMMER GP-CT 36/35 Li Brushless

PXC battery voltage	2x 18 V	
Cutting width	35 cm	
Thread diameter	2.0 mm	
Thread length	8 m	
Product weight	3.5 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Thread spool	•	
Carrying strap	•	
Article number	3411330	 4 006825 670608

### 2x 18 V

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	35 min	45 min	60 min	70 min	95 min	120 min

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)

20 min	25 min	35 min	45 min	55 min	65 min	90 min
--------	--------	--------	--------	--------	--------	--------



**BRUSHLESS**

## Matching accessories

Spare line spool	3405096	 4 006825 632767
------------------	---------	---



Tested and recommended by  
Forum: Gesunder Rücken – besser leben e.V. and  
Bundesverband deutscher Rückenschulen (BdR) e.V.  
More information available from: AGR e.V., Stader Str. 6,  
27432 Bremervörde, Tel. +49 4761/92 63 580, www.agr-ev.de




**PROFESSIONAL  
CORDLESS HEDGE TRIMMER  
GP-CH 36/65 Li Brushless**

**NEW**



**BRUSHLESS**

PXC battery voltage	2x 18 V
Bar length	720 mm
Cutting length	650 mm
Spacing between teeth	30 mm
Product weight	3.2 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover with wall mount	•
Article number	3410980 

2x 18 V

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

<b>2.0 Ah</b> 70 min	<b>2.5 Ah</b> 88 min	<b>3.0 Ah</b> 105 min	<b>4.0 Ah</b> 140 min	<b>5.2 Ah</b> 182 min	<b>6.0 Ah</b> 210 min	<b>8.0 Ah</b> 280 min
-------------------------	-------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)


44 min	55 min	66 min	88 min	114 min	132 min	176 min
--------	--------	--------	--------	---------	---------	---------



# PROFESSIONAL CORDLESS HEDGE TRIMMER GP-CH 18/61 Li Brushless



**BRUSHLESS**

PXC battery voltage	18 V
Bar length	670 mm
Cutting length	610 mm
Spacing between teeth	26 mm
Product weight	2.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover with wall mount	•
Article number	3410935 

1x 18 V

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
39 min	49 min	59 min	78 min	102 min	118 min	156 min

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)


27 min	33 min	40 min	53 min	69 min	80 min	106 min
--------	--------	--------	--------	--------	--------	---------



**PROFESSIONAL  
CORDLESS HEDGE TRIMMER  
GP-CH 18/50 Li Brushless**



**BRUSHLESS**

PXC battery voltage	18 V
Bar length	560 mm
Cutting length	500 mm
Spacing between teeth	20 mm
Product weight	2.5 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover with wall mount	•
Article number	3410950 

1x 18 V

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
39 min	49 min	59 min	78 min	102 min	118 min	156 min

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)

27 min	33 min	40 min	53 min	69 min	80 min	106 min
--------	--------	--------	--------	--------	--------	---------



## PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL GP-HC 18/5020 Li T Brushless

PXC battery voltage	18 V
Bar length (chainsaw)	200 mm
Chain cutting speed	7 m/sec
Blade length of hedge trimmer	500 mm
Spacing between teeth (hedge trimmer)	25 mm
Max. working height	4.0 m (pruner) / 3.5 m (hedge trimmer)
Product weight	5.9 kg (incl. all attachments, excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410970



**BRUSHLESS**

**1x 18 V**

**Max. operating time per battery charge – hedge trimmer**

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
20 min	25 min	30 min	40 min	52 min	60 min	80 min

**Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)**

39 pcs	54 pcs	73 pcs	99 pcs	127 pcs	148 pcs	198 pcs
--------	--------	--------	--------	---------	---------	---------

### Matching accessories

Spare chain 20cm 1,1 33T 3/8	4500186	
Spare bar 20cm 1.2	4500166	



## PROFESSIONAL CORDLESS POLE-MOUNTED PRUNER GP-LC 18/20 Li T Brushless

FITTED WITH  
**OREGON**  
CHAIN AND BAR

PXC battery voltage	18 V
Bar length	200 mm
Cutting length	180 mm
Cutting speed	7 m/s
Max. working height	4.0 m
Product weight	3.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410971



1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

<b>2.0 Ah</b>	<b>2.5 Ah</b>	<b>3.0 Ah</b>	<b>4.0 Ah</b>	<b>5.2 Ah</b>	<b>6.0 Ah</b>	<b>8.0 Ah</b>
39 pcs	54 pcs	73 pcs	99 pcs	127 pcs	148 pcs	198 pcs

### Matching accessories


Spare chain 20cm 1,1 33T 3/8	4500186	
Spare bar 20cm 1.2	4500166	



**BRUSHLESS**



# PROFESSIONAL CORDLESS TELESCOPIC HEDGE TRIMMER GP-HH 18/50 Li T Brushless

PXC battery voltage	18 V
Bar length	550 mm
Cutting length	500 mm
Spacing between teeth	25 mm
Max. working height	3.5 m
Product weight	4.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410972 


**1x 18 V**

**Max. operating time per battery charge – hedge trimmer**

<b>2.0 Ah</b>	<b>2.5 Ah</b>	<b>3.0 Ah</b>	<b>4.0 Ah</b>	<b>5.2 Ah</b>	<b>6.0 Ah</b>	<b>8.0 Ah</b>
20 min	25 min	30 min	40 min	52 min	60 min	80 min

## Hedge Trimmers Accessories Maintenance Spray



Suitable for	Hedge trimmers, grass and shrub shears
Article number	3403099
EAN	



**BRUSHLESS**




## PROFESSIONAL CORDLESS CHAINSAW GP-LC 36/40 Li Brushless



FITTED WITH  
**OREGON**  
CHAIN AND BAR

**BRUSHLESS**



PXC battery voltage	2x 18 V
Petrol equivalence class	up to 3.0 hp
Bar length	400 mm
Cutting length	380 mm
Cutting speed	19.3 m/s
Oil tank capacity	230 ml
Product weight	4.7 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover	•
Article number	4600050 

2x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

2,0 Ah	2,5 Ah	3,0 Ah	4,0 Ah	5,2 Ah	6,0 Ah	8,0 Ah
108 pcs	134 pcs	159 pcs	212 pcs	276 pcs	319 pcs	425 pcs

### Matching accessories

Spare chain 40cm 1.3 56T 3/8	4500367	
Spare bar 40cm 1.3	4500156	




## PROFESSIONAL CORDLESS CHAINSAW GP-LC 36/35 Li Brushless



FITTED WITH  
**OREGON**  
CHAIN AND BAR

**BRUSHLESS**



PXC battery voltage	2x 18 V
Petrol equivalence class	up to 2.5 hp
Bar length	350 mm
Cutting length	330 mm
Cutting speed	15 m/s
Oil tank capacity	115 ml
Product weight	4.0 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover	•
Article number	4501780 

2x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

<b>2,0 Ah</b> 160 pcs	<b>2,5 Ah</b> 200 pcs	<b>3,0 Ah</b> 240 pcs	<b>4,0 Ah</b> 320 pcs	<b>5,2 Ah</b> 420 pcs	<b>6,0 Ah</b> 480 pcs	<b>8,0 Ah</b> 640 pcs
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

### Matching accessories

Spare chain 35cm 1.1 52T 3/8	4500196	
Spare bar 35cm 1.1	4500197	



- Automatic chain lubrication**  
115 ml oil container
- Brushless motor**  
durable and powerful
- Chain speed**  
up to 15 m/s
- Bar & chain changing**  
tool-free chain tensoning
- OREGON quality bar and chain**  
33 cm cutting length



# PROFESSIONAL TOP-HANDLED CORDLESS CHAINSAW FORTEXXA 18/20 TH



FITTED WITH  
**OREGON**  
CHAIN AND BAR

## BRUSHLESS

PXC battery voltage	18 V
Petrol equivalence class	up to 1.5 hp
Bar length	200 mm
Cutting length	140 mm
Cutting speed	7 m/s
Oil tank capacity	75 ml
Product weight	2.5 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover	•
Article number	4600020



1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

<b>2.0 Ah</b> 80 pcs	<b>2.5 Ah</b> 100 pcs	<b>3.0 Ah</b> 120 pcs	<b>4.0 Ah</b> 160 pcs	<b>5.2 Ah</b> 210 pcs	<b>6.0 Ah</b> 240 pcs	<b>8.0 Ah</b> 320 pcs
-------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

WARNING: This chainsaw may only be used by trained tree careworkers. Misactions in compliance with safety instructions may cause serious injuries.

## Matching accessories


Spare chain 20cm 1,1 33T 3/8	4500193	
Spare bar 20cm 1.2	4500194	



# PROFESSIONAL CORDLESS PRUNING CHAINSAW GP-PS 18/20 Li Brushless



**BRUSHLESS**



PXC battery voltage	18 V
Bar length	192 mm
Cutting length	150 mm
Cutting speed	8 m/s
Oil tank capacity	70 ml
Product weight	1.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover	•
Oil funnel	•
Article number	4600080 

1x 18 V





Max. cuts per battery charge through soft roundwood (ø 50 mm)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
134 pcs	168 pcs	201 pcs	268 pcs	348 pcs	402 pcs	536 pcs

## Matching accessories

Spare chain 20cm 1.1 32T 7.62	4501746 
Spare bar 20cm 1.1 SP6	4501755 

## Woodworking Accessories

Type	Article number	EAN
 Forest Safety Helmet	45.004.80	
 Chainsaw Trestle	45.000.67	

**Safe use**  
foldable chain cover

**Brushless motor**  
durable and powerful

**Guide bar/Chain set**  
15 cm cutting length

**Hand protection**  
safe use

**Guide bar/chain replacement**  
tool-free chain tensioning


**Chain lubrication**  
automatic





## PROFESSIONAL CORDLESS LEAF BLOWER GP-LB 36/280 Li E Brushless

**NEW** Autumn 2026

PXC battery voltage	2x 18 V
Max. blow velocity	280 km/h
Max. blowing air flow	1200 m³/h
Idle speed	10000 - 22300 min <sup>-1</sup>
Product weight	5.3 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3433580 



**BRUSHLESS  
DOUBLE TWINPACK**

### 2x 18 V

Maximum operating time on idle per battery charge using two identical batteries – depending on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
4-27 min	5-33 min	8-40 min	10-54 min	14-70 min	16-85 min	21-108 min

Maximum operating time on idle per battery charge using four identical batteries – depending on the selected speed

8-54 min	10-66 min	16-80 min	21-108 min	28-140 min	32-170 min	42-216 min
----------	-----------	-----------	------------	------------	------------	------------

Maximum operating time in idle mode per battery charge with 4 batteries in TURBO mode

- min	3 min	6 min	8 min	13 min	14 min	17 min
-------	-------	-------	-------	--------	--------	--------

## Matching accessories




Gutter Cleaning Set  
(5-piece)

3433559



# PROFESSIONAL CORDLESS LEAF BLOWER GP-LB 36/270 Li E Brushless

**NEW**

PXC battery voltage	2x 18 V	
Max. blow velocity	270 km/h	
Max. blowing air flow	1100 m³/h	
Idle speed	10000 - 22300 min <sup>-1</sup>	
Product weight	2.2 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3433570	

**2x 18 V**

Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
6-26 min	9-33 min	11-41 min	12-52 min	18-69 min	23-81 min	25-104 min

Max. operating time per battery charge in idle mode in TURBO mode


5 min	6 min	8 min	10 min	13 min	16 min	19 min
-------	-------	-------	--------	--------	--------	--------



**BRUSHLESS**



## PROFESSIONAL CORDLESS LEAF BLOWER GP-LB 36/230 Li E Brushless

PXC battery voltage	2x 18 V	
Max. blow velocity	230 km/h	
Max. blowing air flow	890 m³/h	
Idle speed	10000 - 22300 min <sup>-1</sup>	
Product weight	2.3 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3433650	

### 2x 18 V

Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min

Max. operating time per battery charge in idle mode in TURBO mode


4 min	5 min	8 min	10 min	12 min	13 min	17 min
-------	-------	-------	--------	--------	--------	--------



**BRUSHLESS**



# PROFESSIONAL CORDLESS LEAF BLOWER GP-LB 18/200 Li GK Brushless

PXC battery voltage	18 V
Max. blow velocity	200 km/h
Max. blowing air flow	670 m³/h
Idle speed	13000 - 18000 min⁻¹
Product weight	2.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3433550 

**1x 18 V**

**Max. operating time per battery charge in idle mode – dependent on the selected speed**

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min





**Max. operating time per battery charge in idle mode in TURBO mode**

- min	3 min	5 min	6 min	10 min	12 min	15 min
-------	-------	-------	-------	--------	--------	--------




**BRUSHLESS**

## Matching accessories

	Gutter Cleaning Set (5-piece)	3433559	
	Car Drying Nozzle	3433562	



# PROFESSIONAL CORDLESS LEAF BLOWER GP-LB 18/200 Li E Brushless

PXC battery voltage	18 V
Max. blow velocity	200 km/h
Max. blowing air flow	670 m <sup>3</sup> /h
Idle speed	13000 - 18000 min <sup>-1</sup>
Product weight	2.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3433555 


### 1x 18 V

Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min





Max. operating time per battery charge in idle mode in TURBO mode

- min	3 min	5 min	6 min	10 min	12 min	15 min
-------	-------	-------	-------	--------	--------	--------



**BRUSHLESS**

## Matching accessories

	Gutter Cleaning Set (5-piece)	3433559	
	Car Drying Nozzle	3433562	



## PROFESSIONAL CORDLESS LEAF VACUUM VENTURRO 36/240

PXC battery voltage	2x 18 V
Max. blow velocity	240 km/h
Max. suction power	740 m³/h
Idle speed	8000 - 15000 min <sup>-1</sup>
Shredding function	10:1
Debris bag volume	45 l
Product weight	3.6 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3433640



**BRUSHLESS**

### 2x 18 V

Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
9-23 min	10-27 min	14-35 min	17-46 min	21-56 min	27-70 min	34-92 min

Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

5 min	6 min	8 min	10 min	13 min	16 min	20 min
-------	-------	-------	--------	--------	--------	--------

Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

9-25 min	10-28 min	14-37 min	18-49 min	21-58 min	28-74 min	36-98 min
----------	-----------	-----------	-----------	-----------	-----------	-----------

Max. operating time per battery charge in idle mode (TURBO blowing mode)

5 min	6 min	8 min	10 min	13 min	16 min	20 min
-------	-------	-------	--------	--------	--------	--------



## PROFESSIONAL CORDLESS PRUNING SHEARS GP-LS 18/28 Li Brushless

PXC battery voltage	18 V
Min. cutting capacity	14 mm
Max. cutting capacity	28 mm
Product weight	0.8 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3408320




**BRUSHLESS**


1x 18 V

Max. cuts per battery charge through round dry beech wood (ø 15 mm)

<b>2.0 Ah</b>	<b>2.5 Ah</b>	<b>3.0 Ah</b>	<b>4.0 Ah</b>	<b>5.2 Ah</b>	<b>6.0 Ah</b>	<b>8.0 Ah</b>
1450 pcs	1830 pcs	2175 pcs	2900 pcs	3860 pcs	4350 pcs	5800 pcs



## PROFESSIONAL CORDLESS PRUNING SHEARS GP-LS 18/28 Li T Brushless

PXC battery voltage	18 V	
Min. cutting capacity	14 mm	
Max. cutting capacity	28 mm	
Max. working height	3.8 m	
Product weight	1.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3408330	 4 006825 679168


1x 18 V

Max. cuts per battery charge through round dry beech wood (ø 15 mm)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1450 pcs	1830 pcs	2175 pcs	2900 pcs	3860 pcs	4350 pcs	5800 pcs



**BRUSHLESS**



## PROFESSIONAL CORDLESS PRUNING SHEARS GP-LS 18/35 Li Brushless

PXC battery voltage	18 V
Min. cutting capacity	25 mm
Max. cutting capacity	35 mm
Max. working height	3 m
Product weight	1.6 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3408360



1x 18 V

Max. cuts per battery charge through round dry beech wood (ø 15 mm)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1700 pcs	2300 pcs	2800 pcs	3500 pcs	4800 pcs	5600 pcs	7100 pcs

**NEW**



**BRUSHLESS**





**Einhell**

CORDLESS EXCELLENCE.



***TWO PARTNERS. ONE MISSION.  
MAXIMUM PERFORMANCE.***

**E Einhell**

OFFICIAL  
TOOL EXPERT



**AMG  
PETRONAS  
FORMULA 1 TEAM**



**Einhell**

**PROFESSIONAL**



**GARDEN  
2026**