











## **EINHELL. CORDLESS EXCELLENCE.**

THE BATTERY SYSTEM FOR CORDLESS FREEDOM FOR POWER TOOLS AND GARDEN.



Power X-Change	3
The Einhell Guarantee Promise	10
Power Tools	11
Cordless Drills	12
Cordless Drills with Impact Function	16
Cordless Drywall Screwdriver	18
Cordless Impact Wrenches	18
Cordless Impact Drivers	20
Cordless Hammer Drill	21
Cordless Rotary Hammers	21
Cordless Paint/Mortar Mixers	23
Cordless Angle Grinders	24
Cordless Router/Palm Router	28
Cordless Router	29
Cordless Palm Router	29
Cordless Biscuit Jointer	30
Cordless Planer	30
Cordless Circular Saws	31
Cordless Mini Circular Saw	32
Cordless Jigsaws	33
Cordless All Purpose Saws	34
Cordless Sliding Mitre Saw	35
Cordless Mitre Saw	35
Cordless Table Saw	36
Cordless Tile Cutting Machine	36
Cordless Multifunctional Tools	37
Cordless Rotating Sander	38
Cordless Multi Sander	38
Cordless Orbital Sanders	39
Cordless Band Sander	40
Cordless Drywall Polisher	41
Cordless Car Polishing Machine	41
Cordless Polishing/Sanding Machine	41
Cordless Blower	42
Cordless Sealing Gun	42

(	Cordless Paint Spray System	43
	USB Battery Adapter	43
(	Cordless Hot Glue Gun	44
(	Cordless Hot Air Gun	44
(	Cordless Nailer	45
(	Cordless Stapler/ Nailer	45
(	Cordless Lights	46
(	Cordless Radio	48
(	Cordless Speaker	48
/	Accessories – Cases // Bags	49
9	System Cases E-Case	50
(	Cordless Wet and Dry Vacuum Cleaners	52
	Cordless Handheld Vacuum Cleaners	55
(	Cordless Stick Vac Cleaner	56
(	Cordless Ash Vacuum Cleaners	58
(	Cordless Push Sweeper	58
	Cordless Drain Cleaner	59
(	Cordless Window Cleaner	60
(	6-in-1 Cordless Hybrid Compressor	61
:	3-in-1 Cordless Compressors	61
	Cordless Compressor	62
(	Cordless Portable Compressor	62
(	Cordless Car Compressor	63
(	Cordless Air Pump	63
(	Garden Tools	64
ı	Robot Lawn Mowers	64
(	Cordless Lawn Mowers	68
(	Cordless Push Reel Mower	76
ı	Petrol Lawn Mower	77
(	(Power X-Change Electric Start)	//
(	Cordless Scarifiers/Aerators	79
(	Cordless Universal Spreader	81
(	Cordless Tillers	82
(	Cordless Earth Auger	83
	Cordless Snow Thrower	83

Cordless Scythes	84
Cordless Lawn Trimmers	85
Cordless Lawn Edge Trimmer	88
Cordless Grout Cleaner	88
Cordless Surface Brush	89
Cordless Hedge Trimmers	90
Cordless Multifunctional Tools	94
Cordless Pole-Mounted Pruners	96
Cordless Telescopic Hedge Trimmers	97
Cordless Chainsaws	98
Cordless Chain Sharpener	100
Cordless Leaf Blowers	100
Cordless Universal Blower	102
Cordless Leaf Vacuums	103
Cordless Grass and Shrub Shears	106
Cordless Grass Shears	107
Cordless Pruning Saw	107
Cordless Pruning Shears	107
Cordless Pressure Sprayers	108
Accessory – Battery Belt	110
Cordless Fan	110
Cordless Hot Air Generator	110
with Rechargeable Battery	
Cordless Automatic Garden Pump	111
Cordless Garden Pump	111
Cordless Submersible Pressure /	113
Rain Barrel Pump	
Cordless Clear Water Pumps	114
Cordless Dirty Water Pumps	115
The Power X-Change Partners	116
Accessories	118
Batteries	118
Twin Packs	120
Starter Kits	121
Chargers	122
Battery Charging Times	125










## CORDLESS FREEDOM. FOR TOOL AND GARDEN.

#### At last - no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.





## LATEST TECHNOLOGY. PROVEN QUALITY.

#### For the highest level of safety and performance.

Power X-Change batteries are the core component of our platform. That's why we use only the best components such as highperformance new-generation cells and our intelligent processorcontrolled battery electronics. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability.





# POWERFUL MACHINES. LONG-LASTING BATTERIES.

## No matter how large your project - Power X-Change won't let vou dow.

Less power? No way! As a battery system for real enablers, our cordless machines offer up to 2700 Watt of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.





# 1 BATTERY. 1000 POSSIBILITIES. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

#### Just as versatile as you: Battery power for every situation.

Power X-Change is the first rechargeable battery system that provides hobby gardeners and DIY enthusiasts alike with an unrivaled selection of cordless tools. The PXC family already contains over 250 devices. To enable us to offer you cordless freedom in even more areas of life, we have opened our platform to strong partners. Thanks to the versatile Power X-Change system diverse items from partner companies are "Powered by Power X-Change" – for more information go to page 116.







## **ACTIVE BATTERY MANAGEMENT SYSTEM.** INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- **OPTIMISED TOOL POWER**
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY







## TWIN-PACK® TECHNOLOGY. 18V + 18V = 36V


If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack<sup>®</sup> Technology.

If the voltage (V) gets doubled, the power (W) gets doubled, too. Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.

## **POWER X-CHANGE PLUS.** THE PLUS IN POWER

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. With Power X-Change PLUS Technology you get more power per cell, so that you can work with plenty of power even on challenging applications as well.

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.







## **PUREPOWER** -INNOVATIVE DRIVE TECHNOLOGY FOR THE HIGHEST DEMANDS.

**PLUS** 

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motor:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE









"We are incredibly proud to regularly get the best marks in competition with our strongest rivals, underlining our cordless expertise with rechargeable batteries."

Andreas Kroiss, CEO Einhell Germany AG



## CORDLESS EXCELLENCE THAT CONVINCES. ONLY FROM EINHELL.

It became clear to us early on that our customers wanted the freedom of cordless operation. We decided accordingly to concentrate fully on the sector of cordless technology and on the expansion of our Power X-Change system of rechargeable batteries. In numerous product tests carried out by prestigious trade journals and independent experts we have been rewarded with "top marks" and the

position of "best in the test", confirming the outstanding quality of our products and underlining Einhell's bundled competence. It is our aim to inspire our customers with Einhell cordless power and to provide them with freedom, fun and enjoyment on all their jobs around the house and garden. This will make Power X-Change a synonym for cordless freedom.





# THIS IS HOW: Find out more at einhell.de, register in your customer account and apply for the warranty. Further information is available at www.einhell.de/en/services/ warranties/ einhell.de >>>

## THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- Einhell Product Warranty Warranty extension for all Einhell products to 3 years.
- 30 Day Money-Back Guarantee For 100% satisfaction with your Power X-Change device
- **Power X-Change Battery Warranty** Warranty extension for Power X-Change batteries to 3 years.
- **PurePOWER Brushless Warranty** Warranty extension for all PurePOWER Brushless products to 10 years.\*







<sup>\*</sup> This warranty covers only defects in the engine that are due to a material or manufacturing defect!









## TP-CD 18/60 Li Brushless

**PROFESSIONAL** 

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
  Torque (hard): 60 Nm
  Number of torque settings: 21+1

Article only available without battery / charger / case

Art. No. 45.142.10

	<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
ĺ	<b>&gt;&gt;&gt;</b> 2)	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs

D Battery capacity
Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge

#### TP-CD 18/50 Li Brushless

**PROFESSIONAL** 

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Torque (hard): 50 Nm
- Number of torque settings: 19+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger and case E-Box Basic Art. No. 45.138.96

Without batteries / chargers / case Art. No. 45.138.87

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs





- Brushless motor more power, prolonged operation
- 13 mm quick-change drill chuck
- 2-speed metal gear box

## TE-CD 18/40 Li Brushless

**EXPERT** 

- Idle speed (gear 1 / 2): 0 350 / 0 1450 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V  $\mid$  2.0 Ah  $\mid$  Li-lon), 1 charger and case E-Box Basic

Art. No. 45.139.95

Without batteries / chargers / case Art. No. 45.139.97

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	780 pcs	900 pcs	1200 pcs



- Brushless motor more power, prolonged operation
- 2-speed metal gear box
- Lightweight and handy design



Battery capacity

<sup>&</sup>lt;sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



#### TE-CD 18/45 3X-Li

**EXPERT** 

- Idle speed (gear 1 / 2): 0 450 / 0 1600 min<sup>-1</sup>
- Torque (hard): 45 Nm
- Number of torque settings: 20+1

Incl. 1 battery (18 V | 2.0 Ah | Li-lon), 1 charger, case E-Box Basic and 22-piece accessory set Art. No. 45.139.90

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs





- Removable drill chuck
- 90° angle extension
- **■** Eccentric extension

#### TE-CD 18/40 Li

**EXPERT** 

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 1.5 Ah | Li-lon), 1 charger and case

Art. No. 45.139.39

Without batteries / chargers / case

Art. No. 45.139.25

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs

- 2-speed metal gear box
- LED light
- Quick stop



 $<sup>^{9}</sup>$  Battery capacity  $^{2}$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



TE-CD 18/2 Li

**EXPERT** 

- Idle speed (gear 1 / 2): 0 350 / 0 1250 min<sup>-1</sup>
- Torque (hard): 44 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 1.5 Ah | Li-lon), 1 charger and case

Art. No. 45.138.30

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs

- 2-speed metal gear box
- LED light ■ Belt clip

#### TC-CD 18/35 Li

CLASSIC

- Idle speed: 0 550 min<sup>-1</sup>
- Torque (hard): 35 Nm
- Number of torque settings: 20+1

Incl. 1 battery (18 V | 1.5 Ah | Li-lon) and 1 charger Art. No. 45.139.14 Without battery / charger / case Art. No. 45.139.27

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	220 pcs	295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs	1180 pcs



- 10 mm drill chuck Quick stop
- LED light

 $<sup>^{1)}</sup>$  Battery capacity  $^{2)}$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



## CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

#### TP-CD 18/60 Li-i Brushless

#### **PROFESSIONAL**

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 32000 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box Basic Art. No. 45.142.06 and 39-piece accessory set Without batteries / chargers / case Art. No. 45.142.05

							6.0 Ah	
2)	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



## **TP-CD 18 Li-i Brushless**

#### **PROFESSIONAL**

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.138.61

Without batteries / chargers / case

Art. No. 45.138.60

							6.0 Ah	
<b>&gt;&gt;&gt; </b> 2)	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs





- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle

 $<sup>^{9}</sup>$  Battery capacity  $^{2}$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



## CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

#### TP-CD 18/50 Li-i Brushless

#### **PROFESSIONAL**

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- Torque (hard): 50 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger and case E-Box Basic

Art. No. 45.139.40

Without batteries / chargers / case

Art. No. 45.139.42

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- 2-speed metal gear box





#### TE-CD 18/48 Li-i

**EXPERT** 

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 6400 / 0 24000 min<sup>-1</sup>
- Torque (hard): 48 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger and case E-Box Basic

Art. No. 45.139.35

Without battery / charger / case

Art. No. 45.139.26

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	230 pcs	310 pcs	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs	1240 pcs



- 13 mm metal drill chuck
- Additional handle
- LED light

Battery capacit

<sup>&</sup>lt;sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



## **CORDLESS DRYWALL SCREWDRIVER 18 V**

#### TE-DY 18 Li

**EXPERT** 

- Idle speed: 0 4000 min<sup>-1</sup>
- Torque (soft): 6 Nm
- Bit mount: internal hexagon 6.35 mm (¼")

Article includes case E-Box Basic but no battery / charger Art. No. 42.599.80

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	800 pcs	1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs	4400 pcs

- 1) Battery capacity
- 2) Screwing 3.9 x 25 mm screws into drywall max. quantity per battery charge

- **Continuous operation setting**
- Toolless depth adjustment
- Speed control electronics



## **CORDLESS IMPACT WRENCHES 18 V**

#### **IMPAXXO 18/400**

**PROFESSIONAL** 

- Idle speed: 0 1000 / 0 1500 / 0 2000 min<sup>-1</sup>
- Torque (hard): 400 Nm
- Mount: external square drive mount 12.5 mm (½") incl. bit adapter and 3-piece nut-set

Article only available without battery / charger / case

Art. No. 45,100,70

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	40 pcs	55 pcs	68 pcs	80 pcs	110 pcs	140 pcs	160 pcs	220 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- <sup>2)</sup> Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge





- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 3 torque settings



## **CORDLESS IMPACT WRENCHES 18 V**

#### **IMPAXXO 18/230**

**PROFESSIONAL** 

- Idle speed: 0 2900 min<sup>-1</sup>
- Torque (hard): 230 Nm
- Mount: external square drive mount 12.5 mm (½") incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.80

			2.5 Ah					
<b>&gt;&gt;&gt;</b> 2)	75 pcs	100 pcs	125 pcs	150 pcs	200 pcs	260 pcs	300 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 1/2" external square drive mount



#### **TP-CW 18 Li Brushless**

**PROFESSIONAL** 

- Idle speed: 0 2900 min<sup>-1</sup>
- Torque (hard): 215 Nm
- Mount: external square drive mount 12.5 mm (½") incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.40

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	75 pcs	100 pcs	125 pcs	150 pcs	200 pcs	260 pcs	300 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- ½" external square drive mount

Battery capacit

Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge



## **CORDLESS IMPACT DRIVERS 18 V**

#### **TP-CI 18 Li Brushless**

**PROFESSIONAL** 

- Idle speed: 0 2900 min<sup>-1</sup>
- Torque (hard): 180 Nm
- Mount: internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.30

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Short and lightweight design
- **■** High torque



#### TE-CI 18/1 Li

**EXPERT** 

- Idle speed: 0 2300 min<sup>-1</sup>
- Torque (hard): 140 Nm
- Mount: internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45,100,34

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	140 pcs	185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs	740 pcs



- Short design
- 3 power LEDs
- Belt clip

<sup>1)</sup> Battery capacity

<sup>&</sup>lt;sup>2)</sup> Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge





## **CORDLESS HAMMER DRILL 18 V**

TC-ID 18 Li

CLASSIC

- Idle speed: 0 2600 min<sup>-1</sup>
- Blow rate: 0 41600 min<sup>-1</sup>
- Drilling capacity, concrete: 13 mm

Article only available without battery / charger / case

Art. No. 45.139.60

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	45 pcs	60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs	240 pcs

<sup>1)</sup> Battery capacity

- 2 functions
  - 13 mm quick-change drill chuck
  - Speed electronics



## **CORDLESS ROTARY HAMMER 36 V**

#### **HEROCCO 36/28**

PROFESSIONAL

- Idle speed: 0 1100 min<sup>-1</sup>
- Impact force: 3.2 J
- Drilling capacity, concrete: 28 mm
- Drill chuck: SDS-plus

Article includes case E-Box but no batteries / chargers

Art. No. 45.139.50

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	59	79	105	126	169	222	276	338
	holes							

For best performance select batteries with at least 3.0 Ah

- 1) Battery capacity (2x batteries required)
- 2) Drilling in concrete (Ø 8 mm / 50 mm) max. quantity per battery charge







- Brushless motor more power, prolonged operation
- 4 functions
- Twin-Pack Technology: 2x 18 V Power X-Change batteries – more power

<sup>2)</sup> ø 6 mm / 45 mm into brick – max. quantity per battery charge



## **CORDLESS ROTARY HAMMERS 18 V**

#### **HEROCCO 18/20**

**PROFESSIONAL** 

Idle speed: 0 - 1200 min<sup>-1</sup>

■ Impact force: 2.2 |

Drilling capacity, concrete: 20 mm

Drill chuck: SDS-plus

Incl.: magnetic bit adapter

Article includes case E-Box but no battery / charger

Art. No. 45.139.00

<b>(1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	250 pcs	335 pcs	417 pcs	500 pcs	670 pcs	870 pcs	1000 pcs	1340 pcs
<b>&gt;&gt;&gt;</b> 3)	65 holes	87 holes	108 holes	130 holes	174 holes	225 holes	260 holes	348 holes

For best performance select batteries with at least 3.0 Ah



- Brushless motor more power, prolonged operation
- 4+1 functions
- Vibration-cushioned handle



#### TE-HD 18/12 Li

**EXPERT** 

- Idle speed: 0 1300 min<sup>-1</sup>
- Impact force: 1.3 |
- Drilling capacity, concrete: 12 mm
- Drill chuck: SDS-plus
- Incl.: magnetic bit adapter

Article only available without battery / charger / case

Art. No. 45.139.70

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	136 pcs	185 pcs	226 pcs	270 pcs	360 pcs	474 pcs	540 pcs	720 pcs
<b>&gt;&gt;&gt;</b> 3)	34 holes	45 holes	57 holes	82 holes	96 holes	140 holes	166 holes	182 holes

- 1) Battery capacity
- <sup>2</sup> Screwing 6 x 60 mm screws into soft wood max, quantity per battery charge <sup>3</sup> Drilling in concrete (ø 6 mm / 50 mm) max. quantity per battery charge



- 2+1 functions
- Speed control electronics
- LED light



## **CORDLESS PAINT/MORTAR MIXER 18 V**

#### TE-MX 18 Li

**EXPERT** 

- Idle speed: 0 620 min<sup>-1</sup>
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 100 mm)

Article only available without battery / charger / case

Art. No. 42.587.60

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	18 min	24 min	30 min	36 min	48 min	62 min	72 min	96 min
<b>&gt;&gt;&gt;</b> 3)	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min
<b>&gt;&gt;&gt;</b> 4)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min

#### **TP-MX 18-2 Li BL**

**PROFESSIONAL** 

- Idle speed: 0 450 / 0 720 min<sup>-1</sup>
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 120 mm)

Article only available without battery / charger / case

Art. No. 42.587.70

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	13 min	16 min	22 min	26 min	34 min	46 min	52 min	68 min
<b>&gt;&gt;&gt;</b> 3)	10 min	14 min	18 min	21 min	28 min	37 min	42 min	56 min
<b>&gt;&gt;&gt; </b> 4)	6 min	11 min	14 min	16 min	22 min	28 min	32 min	44 min

- 1) Battery capacity
- Date of values
   Max. operating time per battery charge in idle mode
   Mixing duration for wall paint per battery charge
   Mixing duration for mortar per battery charge







## CORDLESS ANGLE GRINDER 36 V

#### **AXXIO 36/230 Q**

**PROFESSIONAL** 

Idle speed: 6600 min-1

■ Wheel diameter: 230 mm

Max. cutting depth: 70 mm

Article only available without batteries / chargers / case 3)

Art. No. 44.311.60

						5.2 Ah		
<b>&gt;&gt;&gt; </b> 2)	24 pcs	32 pcs	41 pcs	48 pcs	62 pcs	81 pcs	93 pcs	124 pcs

For best performance select batteries with at least 3.0 Ah

# Brushless motor – more power, prolonged operation Quick fix nut – easy disc change Twin-Pack Technology: 2x 18 V Power X-Change batteries - more power

## **CORDLESS ANGLE GRINDERS 18 V**

#### **AXXIO 18/150**

**PROFESSIONAL** 

Idle speed: 8500 min-1

■ Wheel diameter: 150 mm Max. cutting depth: 40 mm

Incl.: 1 cutting disc and 1 cutting guard

Article only available without battery / charger / case

Art. No. 44.311.44

						5.2 Ah		
<b>&gt;&gt;&gt; </b> 2)	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Increased cutting depth thanks to larger disc diameter
- Disc guard with quick adjust facility

3) Cutting/grinding discs not included

<sup>1)</sup> Battery capacity

<sup>&</sup>lt;sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

Brushless motor –

more power, prolonged operation



## **CORDLESS ANGLE GRINDERS 18 V**

#### **AXXIO 18/125**

**PROFESSIONAL** 

■ Idle speed: 8500 min<sup>-1</sup> ■ Wheel diameter: 125 mm Max. cutting depth: 33 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.40

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah

**AXXIO 18/125 Q** 

**PROFESSIONAL** 

■ Idle speed: 8500 min<sup>-1</sup> ■ Wheel diameter: 125 mm Max. cutting depth: 33 mm

Incl.: 1 quick fix nut

Article only available without battery / charger / case 3)

Art. No. 44.311.51

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	23 pcs	29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	121 pcs	126 pcs

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- Disc guard with quick adjust facility

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 Cutting/grinding discs not included



## **CORDLESS ANGLE GRINDERS 18 V**

#### **AXXIO 18/115 Q**

**PROFESSIONAL** 

Idle speed: 8500 min-1

Wheel diameter: 115 mmMax. cutting depth: 28 mm

Incl.: 1 quick fix nut

Article only available without battery / charger / case 3)

Art. No. 44.311.50

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	23 pcs	29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	121 pcs	126 pcs

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- Disc guard with quick adjust facility

## TE-AG 18/115 Q Li

EXPERT

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm
- Incl.: 1 cutting guard and 1 quick fix nut

Article only available without battery / charger / case 3)

Art. No. 44.311.65

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	23 pcs	29 pcs	38 pcs	52 pcs	63 pcs	92 pcs	104 pcs	126 pcs

For best performance select a battery with at least 2.5 Ah



- 1) Battery capacity
- <sup>2)</sup> Cutting through pieces of round steel with 12 mm max. quantity per battery charge

3) Cutting/grinding discs not included



## **CORDLESS ANGLE GRINDERS 18 V**

TE-AG 18/115 Li

**EXPERT** 

Idle speed: 8500 min<sup>-1</sup>

Wheel diameter: 115 mm Max. cutting depth: 28 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-lon), 1 charger and case E-Box 3)

Art. No. 44.311.19

Incl. 1 cutting disc, 1 grinding disc, 1 cutting guard, case E-Box Basic but no battery / charger Art. No. 44.311.23

Without battery / charger / case 3) Art. No. 44.311.10 Incl. 1 battery (18 V | 4.0 Ah | Li-Ion), 1 charger, 1 cutting disc, 1 grinding

disc, 1 cutting guard, Einhell Bag 45/22 Art. No. 44.311.34

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

CLASSIC

TC-AG 18/115 Li Idle speed: 8500 min-1

Wheel diameter: 115 mm

Max. cutting depth: 28 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.30

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

- Spindle lock

Restart safeguard

Soft start



Soft start

Spindle lock

Disc guard with quick adjust facility

- <sup>2)</sup> Cutting through pieces of round steel with 12 mm max. quantity per battery charge
- 3) Cutting/grinding discs not included



## **CORDLESS ROUTER/PALM ROUTER 18 V**

- Brushless motor more power, prolonged operation
- Electronic speed control
- Two attachments for maximum flexibility
- Depth adjustment with multistep turret stop
- = LED









#### TP-RO 18 Set Li BL - Solo

**PROFESSIONAL** 

- Idle speed: 10000 30000 min<sup>-1</sup>
- Stroke height: 40 mm / 35 mmClamp: 6 + 8 mm
- Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.10

<b>IIII</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m

Battery capacity
Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge





## **CORDLESS ROUTER 18 V**

#### TP-RO 18 Li BL - Solo

**PROFESSIONAL** 

Idle speed: 10000 - 30000 min<sup>-1</sup>

Stroke height: 35 mmClamp: 6 + 8 mm

Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.11

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m



- Brushless motor more power, prolonged operation
- **■** Electronic speed control
- Two-hand attachment with infinitely adjustable routing depth
- LED



## **CORDLESS PALM ROUTER 18 V**

#### TP-ET 18 Li BL - Solo

**PROFESSIONAL** 

- Idle speed: 10000 30000 min<sup>-1</sup>
- Stroke height: 40 mm
- Clamp: 6 + 8 mm
- Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.12

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m

- **■** Electronic speed control
- Edge router base enables the chamfering of edges
- LE







<sup>1)</sup> Battery capacit

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge



## **CORDLESS BISCUIT JOINTER 18 V**

TE-BI 18 Li

**EXPERT** 

Idle speed: 6500 min<sup>-1</sup>

Max. cutting depth: 20 mm ■ Tilt angle adjustment: 90°

Channel cutter: ø 100 x 22 x 4 mm

Art. No. 43.506.30 Article only available without battery / charger

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	212 pcs	283 pcs	353 pcs	424 pcs	566 pcs	735 pcs	840 pcs	1132 pcs

<sup>1)</sup> Battery capacity



working

## **CORDLESS PLANER 18 V**

TE-PL 18/82 Li

**EXPERT** 

Idle speed: 15000 min<sup>-1</sup>

■ Planing width: 82 mm

Max. rebate depth: 8 mm

Article only available without battery / charger Art. No. 43.454.00

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	16 m	25 m	28 m	37 m	48 m	58 m	78 m	96 m

For best performance select a battery with at least 2.5 Ah

1) Battery capacity



■ Powerful – with a planing depth up to 2 mm

Automatic park rest for added safety

■ Incl. parallel guide for precise planing results

<sup>2)</sup> Max. number of cuts in pinewood for Type 10 flat dowels per battery charge

<sup>&</sup>lt;sup>2)</sup> Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge



## **CORDLESS CIRCULAR SAWS 18 V**

#### TP-CS 18/190 Li Brushless

**PROFESSIONAL** 

- Idle speed: 3800 min<sup>-1</sup>
- Saw blade: ø 190 x ø 20/30 mm
- Cutting depth at 45° / 90°: 45 mm / 65 mm

Article only available without battery / charger / case

Art. No. 43.312.10

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	18 m	24 m	30 m	37 m	49 m	63 m	73 m	98 m

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table





#### TE-CS 18/165-1 Li

**EXPERT** 

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 165 x ø 20 mm
- Cutting depth at 45° / 90°: 35 mm / 54 mm

Article only available without battery / charger / case

Art. No. 43.312.07

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	25 m	33 m	40 m	49 m	64 m	82 m	98 m	128 m

- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



## **CORDLESS CIRCULAR SAWS 18 V**

#### TE-CS 18/150 Li

**EXPERT** 

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 150 x ø 10/16 mm
- Cutting depth at 45° / 90°: 32 mm / 48 mm

Article only available without battery / charger / case

Art. No. 43.312.20

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2	23 m	30 m	38 m	45 m	60 m	78 m	90 m	120 m



- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table

## **CORDLESS MINI CIRCULAR SAW 18 V**

#### TE-CS 18/89 Li

**EXPERT** 

- Idle speed: 3500 min<sup>-1</sup>
- Saw blade: ø 89 x ø 10 mm
- Cutting depth 90°: 28 mm

Incl. 1 TCT sawblade, 1 HSS sawblade, 1 parallel stop but no battery / charger / case Art. No. 43.311.00

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	26 m	36 m	50 m	57 m	72 m	104 m	120 m	144 m



<sup>1)</sup> Battery capacity

<sup>&</sup>lt;sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



## **CORDLESS JIGSAWS 18 V**

#### TE-JS 18/80 Li

**EXPERT** 

- Stroke speed: 0 2400 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 80 / 12 / 10 mm
- Product weight: 1.8 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 43.212.00

	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b>	2)	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

- Universal blade holder
- Pendulum action (4 settings)
- Blade change without tools
- LED light



## TC-JS 18 Li

CLASSIC

- Stroke speed: 0 2700 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 70 / 10 / 8 mm
- Product weight: 1.8 kg (excl. battery)

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, 3 saw blades (wood), 2 saw blades (metal) and case E-Box Basic Art. No. 43.212.28

Article includes high quality KWB saw blade but no battery / charger / case Art. No. 43.212.09

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m



- Pendulum action (4 settings)
- Blade change without tools
- Dust-blower function

Battery capacit

<sup>&</sup>lt;sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



## CORDLESS ALL PURPOSE SAWS 18 V

#### TP-AP 18/28 Li Brushless

**PROFESSIONAL** 

- Stroke speed / height: 0 2500 min<sup>-1</sup> / 28 mm
- Cutting depth (wood / steel): 200 / 12 mm
- Saw blade thickness: 0.8 1.6 mm

Article includes high quality KWB saw blade but no battery / charger / Art. No. 43.263.10 case

					4.0 Ah			
<b>&gt;&gt;&gt; </b> 2)	170 pcs	226 pcs	332 pcs	417 pcs	556 pcs	723 pcs	834 pcs	1112 pcs

For best performance select a battery with at least 2.5 Ah

## TE-AP 18/26 Li

**EXPERT** 

- Stroke speed / height: 0 2600 min<sup>-1</sup> / 26 mm
- Cutting depth (wood / steel): 180 / 12 mm
   Saw blade thickness: 0.7 1.8 mm

Incl. high quality saw blade but no battery / charger / case

Art. No. 43.262.90

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	155 pcs	207 pcs	260 pcs	311 pcs	414 pcs	572 pcs	640 pcs	828 pcs

#### TE-AP 18/22 Li

**EXPERT** 

- Stroke speed / height: 0 2600 min-1 / 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Saw blade thickness: 0.6 1.6 mm

Article only available without battery / charger / case

Art. No. 43.263.00

						5.2 Ah		
<b>&gt;&gt;&gt;</b> 2)	140 pcs	185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs	740 pcs

<sup>1)</sup> Battery capacity <sup>2)</sup> Round timber 35 mm – max. number of cuts per battery charge



- Rotatable main handle
- Anti-vibration function



- Blade change without tools
- Soleplate adjustment without tools



- Blade change without tools
- Soleplate adjustment without tools
- Ergonomic, compact design



## **CORDLESS SLIDING MITRE SAW 36 V**

#### TE-SM 36/210 Li

**EXPERT** 

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity 90° x 90°: 310 x 65 mm

Article only available without batteries / chargers Art. No. 43,008,80

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	140 pcs	185 pcs	230 pcs	275 pcs	370 pcs	480 pcs	555 pcs	740 pcs
<b>&gt;&gt;&gt;</b> 3)	263 pcs	350 pcs	435 pcs	525 pcs	700 pcs	910 pcs	1050 pcs	1400 pcs

- Battery capacity (2x batteries required)
   Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge
   Laminate 195 x 8 mm max. number of cuts per battery charge





- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)

## **CORDLESS MITRE SAW 18 V**

## TE-MS 18/210 Li

**EXPERT** 

- Speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity: 120 x 60 mm

Article only available without battery / charger Art. No. 43.008.90

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	72 pcs	103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Square timber 60 x 60 mm (soft wood) max, number of cuts per battery charge

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting





## **CORDLESS TABLE SAW 36 V**

#### TE-TS 36/210 Li

**EXPERT** 

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Cutting height 90° / 45°: 70 mm / 45 mm
- Cutting capacity (on the right side): 625 mm

Article only available without batteries / chargers Art. No. 43,404,50

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	45 m	60 m	71 m	92 m	122 m	160 m	184 m	244 m

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- 2) OSB panel 19 mm max. cutting range per battery charge



- Specially developed high-quality precision saw blade
- Sturdy aluminium table
- Holders for stowing away all the attachments



## **CORDLESS TILE CUTTING MACHINE 18 V**

## TE-TC 18/115 Li

**EXPERT** 

- Speed: 3800 min<sup>-1</sup>
- Cutting wheel: ø 115 x ø 22.2 mm
- Cutting height 90° / 45°: 24 mm / 16 mm

Article only available without battery / charger Art. No. 43.011.90

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	37 pcs	50 pcs	63 pcs	75 pcs	100 pcs	130 pcs	150 pcs	200 pcs

- Battery capacity
- <sup>2)</sup> Ceramic tile 15 x 15 cm max. cutting range per battery charge



- Excellent diamond cutting disc for perfect cuts
- Very powerful engine
- Integrated water tank



## **CORDLESS MULTIFUNCTIONAL TOOLS 18 V**

VARRITO **EXPERT** 

 Oscillating speed: 22000 - 40000 min<sup>-1</sup> Oscillation angle: 3.2°

Abrasive paper size: 93 x 93 x 93 mm

■ Incl.: 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.60

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
<b>&gt;&gt;&gt;</b> 3)	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
<b>&gt;&gt;&gt;</b> 4)	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs



#### TC-MG 18 Li

CLASSIC

- Oscillating speed: 22000 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl.: 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.70

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
<b>&gt;&gt;&gt;</b> 3)	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
<b>&gt;&gt;&gt;</b> 4)	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

■ Magnetic tool mounting Speed control electronics **Ergonomic, handy design** 

Battery capacity
 Max. operating time per battery charge in idle mode
 Round plastics 10 mm – max. number of cuts per battery charge
 Round steel 6 mm – max. number of cuts per battery charge



## **CORDLESS ROTATING SANDER 18 V**

TE-RS 18 Li

**EXPERT** 

Oscillating speed: 14000 - 22000 min<sup>-1</sup>

 Oscillating circuit ø: 2.0 mm Abrasive paper ø: 125 mm

Incl.: abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.620.10

(TITT) 1)	1 5 Ab	2.0 Ah	2 5 Ah	2 0 Ah	4.0.Ab	5 2 Ab	6 0 Ab	9 0 Ah
<b>&gt;&gt;&gt; 2</b> )	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min



- Speed control electronics
- Hook and loop fastening
- Dust extraction

## **CORDLESS MULTI SANDER 18 V**

TE-OS 18/150 Li

**EXPERT** 

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 1.6 mm
- Abrasive paper: 150 x 150 x 100 mm
- Incl.: abrasive papers (6 pcs)

Article only available without battery / charger / case

Art. No. 44.607.08

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	23 min	27 min	34 min	40 min	55 min	70 min	80 min	110 min

- Small, compact and handy
- Hook and loop fastening
- Dust extraction



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## **CORDLESS ORBITAL SANDERS 18 V**

#### TE-OS 18/230 Li

**EXPERT** 

- Oscillating speed: 14000 22000 min<sup>-1</sup>
- Oscillating circuit ø: 2.5 mm
- Abrasive paper: 230 x 115 mm
- Incl.: abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.607.20

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	20 min	27 min	33 min	40 min	54 min	70 min	80 min	108 min



- Speed control electronics
- Hook and loop fastening
- Aluminium sole plate
- Dust extraction

#### TC-OS 18/187 Li

CLASSIC

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 2.0 mm
- Abrasive paper: 187 x 94 mm
- Incl.: abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.607.25

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	25 min	34 min	42 min	50 min	67 min	87 min	100 min	134 min

- Hook and loop fastening
- Dust extraction



Battery capacity
 Max. operating time per battery charge in idle mode



## **CORDLESS BAND SANDER 18 V**



- Brushless motor more power, prolonged operation
- Belt run adjustment
- Belt change without tools
- Dust extraction

#### TP-BS 18/457 Li BL

**PROFESSIONAL** 

- Grinding/sanding belt speed: 120 250 m/min
   Grinding/sanding area: 75 x 126 mm
   Grinding/sanding belt size: 75 x 457 mm
   Incl.: abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.662.70

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> 2)	15 min	22 min	18 min	22 min	30 min	38 min	44 min	59 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode





## **CORDLESS DRYWALL POLISHER 18 V**

#### TP-DW 18/225 Li

#### **PROFESSIONAL**

- Oscillating speed: 600 1200 min<sup>-1</sup>
- Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article includes case but no battery / charger Art. No. 42.599.90

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	21 min	26 min	33 min	44 min	55 min	68 min	78 min	110 min

## **CORDLESS CAR POLISHING MACHINE 18 V**

#### CE-CB 18/254 Li

CAR **EXPERT** 

- Idle speed: 2500 min-1
- Diameter: 254 mm

Article only available without battery / charger / case

Art. No. 20.933.01

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	56 min	81 min	93 min	112 min	127 min	200 min	222 min	254 min

For best performance select a battery with at least 2.5 Ah

## CORDLESS POLISHING/SANDING MACHINE

#### CE-CP 18/180 Li E

**EXPERT** 


- Idle speed: 500 3000 min<sup>-1</sup>
- Diameter: 180 mm

Article only available without battery / charger / case

Art. No. 20.933.20

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 27	17 min	20 min	25 min	35 min	43 min	54 min	65 min	86 min

For best performance select a battery with at least 2.5 Ah





- Handy and robust
- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet





- Brushless motor more power, prolonged operation
- Speed control electronics
- Hook and loop fastening for changing the attachments quickly



## **CORDLESS BLOWER 18 V**

#### TE-CB 18/180 Li

**EXPERT** 

Blow velocity (step 1 / 2): 130 km/h / 180 km/h

- Idle speed (step 1 / 2): 11500 min<sup>-1</sup> / 15500 min<sup>-1</sup>
- Incl.: 3 inflation nozzles

Article only available without battery / charger / case

Art. No. 34.080.01

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	31 min	39 min	48 min	62 min	68 min	100 min	124 min	136 min
<b>&gt;&gt;&gt;</b> 3)	18 min	24 min	26 min	36 min	48 min	56 min	65 min	96 min

- Battery capacity
   Performance at setting 1 per battery charge in idle mode
   Performance at setting 2 per battery charge in idle mode



- 2-step speed adjustment
- Lightweight
- Small and handy

## **CORDLESS SEALING GUN 18 V**

#### TE-SG 18/10 Li

**EXPERT** 

- Feed speed: 0 10 mm/s
- Dispensing force: 2000 N

Article only available without battery / charger / case

Art. No. 45.222.50

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> 2)	128 pcs	170 pcs	213 pcs	255 pcs	340 pcs	442 pcs	510 pcs	680 pcs

- Battery capacity
- 2) Number of cartridges per battery charge







## **CORDLESS PAINT SPRAY SYSTEM 18 V**

#### TC-SY 18/60 Li

CLASSIC

- Delivery rate: 650 ml/min
- Tank volume: 800 ml
- Max. viscosity: 60 DIN-sec
- Incl.: 2 nozzles for different viscosities
- Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.25

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	22 m²	30 m²	38 m²	45 m²	60 m <sup>2</sup>	78 m²	90 m²	120 m <sup>2</sup>

- 1) Battery capacity
- <sup>2)</sup> Max. area coverage per battery charge with viscosity 60 DIN-sec with single paint application

- Hand-held system for small and medium-sized working areas
- Spraying of lacquers and glazes
- Removable spray cap
- Paint flow regulation
- Adjustable air cap



## **USB BATTERY ADAPTER 18 V**

#### TC-CP 18 Li USB

CLASSIC

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger / case

Art. No. 45.141.20

				3.0 Ah				
<b>&gt;&gt;&gt;&gt;</b> 2)	8 h	12 h	13.5 h	16 h	24 h	32 h	36 h	48 h

- Battery capacityCharging time per battery charge

- 2 USB ports
- Charging mobile phones or tablets
- LED operating status indicator





## **CORDLESS HOT GLUE GUN 18 V**

TE-CG 18 Li

**EXPERT** 

- Warm-up period: 120 s
- Max. glueing temperature: 170°C
- Glue stick length / diameter: 200 mm / 11 mm
- Incl.: 5 glue sticks and flat glueing nozzle

Article only available without battery / charger / case

Art. No. 45.222.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	14 pcs	18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs	72 pcs



- LED heat level indicator
- **■** Disengageable LED light
- Changeable glueing nozzle

## **CORDLESS HOT AIR GUN 18 V**

TE-HA 18 Li

**EXPERT** 

- Temperature setting 1 / setting 2: 350 °C / 550 °C
- Air rate: 200 l/min

Incl. reducer nozzle, wide nozzle, reflector nozzle but no battery / charger / case Art. No. 45.205.00

						5.2 Ah		
<b>&gt;&gt;&gt; </b> 2)	7 min	9 min	11 min	13 min	17 min	22 min	26 min	34 min

- Battery capacity
- 2) Max. operating time per battery charge setting 2

- 2 temperature settings
- Mechanical nozzle ejector
- Overheating protection for safe operation
- LED display



Battery capacity
Glue sticks 11 mm, length 200 mm – max. number per battery charge





## **CORDLESS NAILER 18 V**

#### **FIXETTO 18/50 N**

**PROFESSIONAL** 

- Max. working speed: 60 min<sup>-1</sup>
- Nail length: 15 50 mm

Incl. 500 nails; Article only available without battery / charger / case Art. No. 42.577.95

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	630 pcs	840 pcs	1050 pcs	1260 pcs	1679 pcs	2183 pcs	2519 pcs	3358 pcs
<b>&gt;&gt;&gt;</b> 3)	514 pcs	685 pcs	857 pcs	1028 pcs	1370 pcs	1781 pcs	2055 pcs	2740 pcs

- 1) Battery capacity
- Number of nails (32 mm) in softwood max. number per battery charge
- 3) Number of nails (50 mm) in softwood max. number per battery charge



- PressAir means: maintenance-free. without extra costs and equipment
- Single or serial shots
- Cutting depth adjustment
- LED lighting on both sides
- Magazine with level indicator





## **CORDLESS STAPLER/NAILER 18 V**

### TE-CN 18 Li

**EXPERT** 

- Max. working speed: 20 min<sup>-1</sup> Stapel length: 16 - 22 mm
- Nail length: 15 32 mm

Incl. 300 nails + 300 staples; article only available without battery / Art. No. 42.577.90 charger / case

I	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<b>&gt;&gt;&gt; </b> 2)	1472 pcs	2030 pcs	2670 pcs	3204 pcs	4272 pcs	5554 pcs	6408 pcs	8544 pcs
	<b>&gt;&gt;&gt; </b> 3)	1459 pcs	1995 pcs	2642 pcs	3171 pcs	4228 pcs	5496 pcs	6342 pcs	8456 pcs

- 1) Battery capacity
- 32 mm nails in softwood at maximum depth setting max. number per battery charge
   32 mm staples in softwood at maximum depth setting max. number per battery charge

- 2-in-1 stapler and nailer combination tool
- Cutting depth adjustment
- Magazine with level indicator
- Allows stapling close to the edge





## **CORDLESS LIGHTS 18 V**

#### TE-CL 18/2500 LIAC

**EXPERT** 

Luminosity: 1000 lm / 2500 lm

Light range: 640 m

Colour temperature: 6500 K

Article only available without battery / charger / case

Art. No. 45.141.45

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	69 min	85 min	107 min	137 min	183 min	238 min	274 min	366 min
<b>&gt;&gt;&gt;</b> 3)	229 min	291 min	341 min	458 min	611 min	794 min	916 min	1222 min

1) Battery capacity

2) Luminous period per battery charge – 2500 lm

3) Luminous period per battery charge – 1000 lm



- 2-step luminosity adjustment
- Hybrid function for use from a 12 V cigarette lighter socket or with a rechargeable battery
- 7 bright LEDs
- ¼" tripod thread



#### TE-CL 18/2000 LiAC

**EXPERT** 

Mains connection: 100-240 V ~ 50-60 Hz

Cable length: 2 m

Luminosity: 1000 lm / 1500 lm / 2000 lm

■ Light source: 20 LEDs

Article only available without battery / charger / case

Art. No. 45.141.14

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	87 min	115 min	145 min	174 min	230 min	300 min	345 min	460 min

1) Battery capacity

Luminous period per battery charge





- Hybrid function for use with a power cable or a rechargeable battery
- 3-step luminosity adjustment
- 360° swivelling lamp head



## **CORDLESS LIGHTS 18 V**

TC-CL 18/1800 Li

CLASSIC

Luminosity: 1800 lm ■ Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.15

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	90 min	118 min	140 min	191 min	243 min	300 min	350 min	486 min

- 360° swivelling lamp head
- Infinitely variable luminosity
- **■** Folding foot



TC-CL 18 Li H

CLASSIC

Luminosity: 280 lm Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.30

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	8 h	10 h	12 h	16 h	22 h	32 h	33 h	44 h



- High-quality LED of the company Cree Ltd.
- Swivelling lamp head
- Metal hook

Battery capacityLuminous period per battery charge



## **CORDLESS RADIO 18 V**

#### TC-RA 18 Li BT

CLASSIC

- AM Frequency: 522 1620 kHz
- FM Frequency: 87.5 108 MHz Station memory (AM / FM): 10 / 10

Article only available without battery / charger / case

Art. No. 34.080.17

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	12 h	16 h	20.5 h	24.5 h	32.5 h	42.5 h	49 h	65 h



- **■** LCD display
- **■** External antenna
- Bluetooth connection for wireless music listening



## **CORDLESS SPEAKER 18 V**

#### TC-SR 18 Li BT

CLASSIC

- Power rating: 2x 3 W
- Max. volume: 85 dB
- Product weight: 0.3 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 45.141.50

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	43 h	57 h	72 h	86 h	114 h	148 h	171 h	228 h





- Bluetooth connection for wireless music listening
- USB connection for charging mobile phones etc.
- AUX connection

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge



## **ACCESSORIES - CASES**

#### E-Box L70

- Lieferumfang: 1 Universal-Koffer
  Innenmaße: 670 x 110 x 300 mm
- Außenmaße: 700 x 250 x 350 mm
- Beladungskapazität: 50 kg

Art.-Nr. 45.300.54



#### E-Box M55

- Lieferumfang: 1 Universal-Koffer
- Innenmaße: 510 x 327 x 124 mm
- Außenmaße: 550 x 400 x 150 mm
- Beladungskapazität: 30 kg

Art.-Nr. 45.300.49



#### E-Box S35

- Lieferumfang: 1 Universal-Koffer
- Innenmaße: 310 x 250 x 89,5 mm
- Außenmaße: 350 x 330 x 110 mm
- Beladungskapazität: 12 kg

Art.-Nr. 45.300.45



## **ACCESSORIES - BAGS**

#### Einhell Bag 45/29

- Items supplied: 1 universal bag
- Internal dimensions: 420 x 270 x 200 mm
- External dimensions: 450 x 290 x 220 mm
- Load capacity: 20 kg

Art. No. 45.300.74



#### Einhell Bag 45/22

- Lieferumfang: 1 Universal-Tasche
- Innenmaße: 390 x 200 x 190 mm
- Außenmaße: 450 x 220 x 350 mm
- Beladungskapazität: 15 kg

Art.-Nr. 45.300.37





## E-CASE-SYSTEM SYSTEM CASES E-CASE

- Accessories available to create individual arrangements
- 2x fold-in ergonomic handles for comfortable carrying



#### E-Case S-F

- Items supplied: 1x E-Case S + 2x foam inlays
- Internal dimensions: 421 x 281 x 96 mm
- External dimensions: 444 x 330 x 131 mm

Art. No. 45.400.11

- Large 15 cm all-terrain rubberized wheels
- Telescopic handle for easy transport
- For storing and transporting large tools



#### E-Case L

- Items supplied: 1x E-Case L + 1x tray for hand tools + 2x spacer clips
- Internal dimensions: 421 x 273 x 320 mm
- External dimensions: 444 x 406 x 355 mm

Art. No. 45,400,14

- Inner height of 25 cm is optimised for bulky einhell products
- Foldable, ergonomic handle for comfortable carrying



#### E-Case M

- Items supplied: 1x E-Case M + 1x hand tool insert
- Internal dimensions: 415 x 280 x 250 mm
- External dimensions: 444 x 330 x 295 mm.

Art. No. 45,400,21

Complete modular storage solution for the ambitious handyman



#### **E-Case Tower**

Items supplied:

1x E-Case S + 2x foam inlays,

1x E-Case S + 1x set of plastic compartments (2x long, 3x midlength, 4x short dividers),

1x E-Case L + 1x tray for hand tools + 2x spacer clips

Art. No. 45.400.15



### **ROBUSTHEIT, DIE IHRESGLEICHEN SUCHT!**



Maximum loading of a single case when carried by the handle on the side



Maximum permissible loading of the case at the bottom of the stack



Maximum loading of several cases when carried by the handle on the top



Max. total load E-Case L + stacked cases

#### STACKABLE AND CONNECTABLE





# E-CASES ACCESSORIES

### Set of Plastic Compartments

Set comprising:2x long,3x mid-length,4x short dividers

Art. No. 45.400.12



#### **Grid Foam**

- 1x adjustable grid foam inlay
- Height: 65 mm







## **CORDLESS WET AND DRY VACUUM CLEANERS 36 V**

#### TP-VC 36/30 S Auto

#### **PROFESSIONAL**

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: stainless steel, 30 l.
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.43

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
<b>&gt;&gt;&gt;</b> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

#### TE-VC 36/30 Li S

**EXPERT** 

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: stainless steel, 30 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.40

<b>IIII</b> ) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
<b>&gt;&gt;&gt;</b> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

- Auto Start function automatic dust extraction when the connected cordless tool is started
- 2 speeds
- Twin-Pack® Technology











- 2 speeds
- Heavy-duty suction hose
- **■** Twin-Pack<sup>©</sup> Technology



- 1) Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (ECO mode)
   Max. operating time per battery charge in idle mode (BOOST mode)



## CORDI ESS WET AND DRY **VACUUM CLEANERS 36 V**

#### TE-VC 36/25 Li S

**EXPERT** 

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: stainless steel, 25 l.
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.70

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
<b>&gt;&gt;&gt;</b> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time per battery charge in idle mode (ECO mode)
- 3) Max. operating time per battery charge in idle mode (BOOST mode)



- 2 speeds
- Stainless steel tank, rust-proof and sturdy
- Twin-Pack® Technology





## CORDI ESS WET AND DRY **VACUUM CLEANERS 18 V**

#### TC-VC 18/20 Li S

CLASSIC

- Suction power: 80 mbar
- Tank: stainless steel, 20 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.30

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Stainless steel tank, rust-proof and sturdy
- Blow connector
- Incl. extensive accessories









## **CORDLESS WET AND DRY VACUUM CLEANERS 18 V**

#### TC-VC 18/15 Li

CLASSIC

- Suction power: 80 mbar
- Tank: plastic, 15 l
- Nozzles: crevice, combination nozzle (1x each)
- Accessories: foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23,471,45

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- Plastic tank light-weight but impact-proof
- Blow connector
- Incl. extensive accessories





### TE-VC 18/10 Li

**EXPERT** 

- Suction power: 90 mbar
- Tank: plastic, 10 l
- Nozzles: 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
- Accessories: foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.60

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	8 min	10 min	12 min	17 min	21 min	26 min	30 min	42 min

For best performance select a battery with at least 2.5 Ah



- Extendable hose
- Lightweight and mobile
- Compact design



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode





## **CORDLESS HANDHELD VACUUM CLEANER 18 V**

#### TE-HV 18/06 Li

**EXPERT** 

- Suction power: 72 mbar
- Tank: plastic, 0.60 l
- Nozzles: crevice, upholstery, floor nozzle (1x each)
   Accessories: wall bracket, extension tubes, synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.90

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
		22 min						
<b>&gt;&gt;&gt;</b> 3)	9 min	12 min	15 min	19 min	25 min	32 min	39 min	50 min

1) Battery capacity

TE-VC 18 Li

- Max. operating time per battery charge in idle mode (ECO mode)
   Max. operating time per battery charge in idle mode (BOOST mode)

**EXPERT** 

- Suction power: 42 mbar
- Tank: plastic, 0.54 l
- Nozzles: crevice, upholstery, floor nozzle (1x each)
- Accessories: wall bracket, extension tube, washable synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.20

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	12 min	16 min	18 min	23 min	31 min	40 min	46 min	62 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode


2 speeds Incl. extensive accessories Wall bracket





- Easy cleaning
- Incl. extensive accessories
- Wall bracket





## **CORDLESS STICK VAC CLEANER 18 V**

TE-SV 18 Li

**EXPERT** 

- Tank volume: 0.6 l
- Speed settings: 2 (ECO/BOOST)
- Cyclone separator: changeable and washable

Article only available without battery / charger Art. No. 23.471.80

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	8 min	11 min	13 min	18 min	22 min	28 min	35 min	44 min
<b>&gt;&gt;&gt;</b> 3)	19 min	25 min	31 min	38 min	50 min	65 min	80 min	100 min

- 1) Battery capacity
- Max. operating time per battery charge in idle mode (BOOST mode)
   Max. operating time per battery charge in idle mode (ECO mode)

#### **EXTENSIVE ACCESSORIES**

- Wall bracket for storing the device and the accessories
- Flexible crevice nozzle for vacuuming hard-toreach areas in the car
- 2-in-1 nozzle for slits on the sofa

- 2-in-1 device: hand-held vacuum cleaner + upright vacuum cleaner
- No dirt bag: empty the dust collection container at the push of a button
- Well illuminated work area thanks to 4 spotlight LEDs

## **ALSO AVAILABLE: ACCESSORY SET (23.512.67)**

- Hose and universal nozzle for user-friendly cleaning in the livingroom / car / etc.
- Upholstery nozzle for cushions









## **CORDLESS ASH VACUUM CLEANER 18 V**

#### TE-AV 18/15 Li C

**EXPERT** 

- Suction power: 100 mbar
- Tank: stainless steel, 15 l
- Accessories: suction tube, pleated filter (1x each)

Article only available without battery / charger Art. No. 23.517.00

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	11 min	15 min	18 min	22 min	30 min	37 min	44 min	60 min

<sup>1)</sup> Battery capacity

## **CORDLESS PUSH SWEEPER 18 V**

#### TE-SW 18/610 Li

**EXPERT** 

- Max. area coverage: 1800 m²/h
- Sweeping width: 610 mm
- Dirt tank: 20 l

Article only available without battery / charger Art. No. 23.520.40

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	650 m <sup>2</sup>	850 m <sup>2</sup>	1050 m <sup>2</sup>	1300 m <sup>2</sup>	1700 m <sup>2</sup>	2200 m <sup>2</sup>	2550 m <sup>2</sup>	3400 m <sup>2</sup>
<b>&gt;&gt;&gt;</b> 3)	21 min	27 min	34 min	41 min	55 min	72 min	83 min	110 min

- 1) Battery capacity
- 2) Area coverage at walking speed (3.0 km/h)
- 3) Max. operating time per battery charge in idle mode



<sup>2)</sup> Max. operating time per battery charge in idle mode

## **CORDLESS DRAIN CLEANER 18 V**



- Easy retraction/extension of spiral with battery-powered motor
- Right/left rotation for release when the spiral is blocked
- Galvanised spiral

#### TE-DA 18/760 Li

**EXPERT** 

- Spiral length / diameter: 7.6 m / 7 mm
   Pipe diameter: 16-55 mm
   Speed: 560 min<sup>-1</sup>

Article only available without battery / charger Art. No. 45.141.60

	1) 1.5 Ah							
<b>&gt;&gt;&gt;</b>	42 min	56 min	68 min	84 min	112 min	143 min	188 min	224 min



<sup>1)</sup> Battery capacity
2) Max. operating time per battery charge in idle mode



## **CORDLESS WINDOW CLEANER 18 V**

#### **BRILLIANTO**

**EXPERT** 

- Nozzle width: 280 mm
- Dirt water tank: 100 ml

Art. No. 34.371.00 Article only available without battery / charger

							6.0 Ah	
<b>&gt;&gt;&gt;</b> 2)	120 min	160 min	200 min	240 min	320 min	415 min	480 min	640 min

- 1) Battery capacity
  2) Max. operating time per battery charge in idle mode

#### ALSO AVAILABLE: ACCESSORY SETS

- Telescopic Pole Set (34.371.01) 2 telescopic poles (1 complete with microfiber cloth for precleaning the glass surface, and 1 complete with tilt adjustment for BRILLIANTO) - both poles infinitely adjustable in length up to approx. 120 cm
- Nozzle Set (34.371.02) 1x slim suction nozzle (165 mm) and 1x wide suction nozzle (350 mm)



- Easy cleaning of the dirt water tank One-piece silicone peel-off lip
- Softgrip aread für optimum grip
- Including wall mount and spray bottle











## 6-IN-1 CORDLESS HYBRID COMPRESSOR 18 V

PRESSITO EXPERT

■ Mains connection: 220-240 V ~ 50 Hz

Max. output rate at 0 | 4 | 7 bar: 16 | 10 | 8 l/min

Max. operating pressure: 11 bar

Incl.: high pressure hose, low pressure hose and several adapters

Article only available without battery / charger Art. No. 40.204.60

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min





- Hybrid function for use with a power cable or a rechargeable battery
- Incl. extensive accessories
- High pressure pumping, low pressure pumping/suction

## 3-IN-1 CORDLESS COMPRESSOR 18 V

#### PRESSITO 18/21

**EXPERT** 

- Suction power: 21 l/min
- Max. output rate at 0 | 4 | 7 bar: 14 | 9 | 6 l/min
- Max. operating pressure: 10.5 bar
- Incl.: high pressure hose, low pressure hose and several adapters

Article only available without battery / charger Art. No. 40.204.67

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min



- High pressure pumping, low pressure pumping/suction
- Manual inflating function (high-pressure)
- Incl. extensive accessories



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode





## CORDLESS COMPRESSOR 36 V

#### TE-AC 36/6/8 Li OF Set

**EXPERT** 

- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar
- Incl.: compressed air hose, blow-out adapter, tyre pressure gauge and several adapters

Article only available without batteries / chargers Art. No. 40.204.50

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	20 pcs	25 pcs	29 pcs	40 pcs	50 pcs	60 pcs	80 pcs	100 pcs
<b>&gt;&gt;&gt;</b> 3)	330 pcs	400 pcs	435 pcs	660 pcs	800 pcs	900 pcs	1320 pcs	1600 pcs

- 1) Battery capacity (2x batteries required)
- Tank pressure build-up cycles per battery charge
   Soft wood max. number of staples (13 mm staples) per battery charge

Oil-free, service-free pump ■ Twin-Pack<sup>©</sup> Technology Incl. extensive accessories





## CORDLESS PORTABLE COMPRESSOR 18 V

## TE-AC 36/8 Li OF Set

**EXPERT** 

- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Max. operating pressure: 8 bar
- Incl.: compressed air hose, blow-out adapter, tyre pressure gauge and several adapters

Article only available without batteries / chargers Art. No. 40.204.40

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min
<b>&gt;&gt;&gt;</b> 3)	4.5 min	6 min	7.5 min	9 min	12 min	15 min	18 min	24 min

- 1) Battery capacity (2x batteries required)
- 2) Max. running time when using a blow-out pistol
- 3) Max. running time when inflating a car tire to 2.5 bar



- Ergonomic, compact design
- **■** Twin-Pack<sup>©</sup> Technology
- Incl. extensive accessories











## CORDLESS CAR COMPRESSOR

CE-CC 18 Li

CAR **EXPERT** 

- Max. output rate at 0 | 4 | 7 bar: 12 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: 60 cm compressed air hose and several adapters

Article only available without battery / charger Art. No. 20.710.10

						5.2 Ah		
<b>&gt;&gt;&gt;</b> 2)	32 min	42 min	53 min	63 min	84 min	109 min	126 min	168 min



- Ideal for inflating car tyres, cycle tyres and balls
- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function

## **CORDLESS AIR PUMP**

CE-AP 18 Li

CAR **EXPERT** 

- Max. delivery rate: 670 l/min
- Max. operating pressure: 0.5 bar
- Incl.: 2 inflation adapters

Article only available without battery / charger Art. No. 20.701.10

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2	49 min	65 min	81 min	98 min	130 min	169 min	195 min	260 min

- Ideal for inflating rubber dinghies, air mattresses, leisure articles
- Suitable for deflation by simply replacing the adapter
- Can be used as a workshed blower for cleaning the worktop





Battery capacity
 Max. operating time per battery charge in idle mode



## **ROBOT LAWN MOWERS**







#### ■ Brushless motor – more power, prolonged operation

- True cordless freedom no perimeter wire required
- Recognises the mowing area by means of physical and visual lawn boundaries
- Including magnetic tape accessory for short-term demarcation of lawn areas
- Intuitive keypad



#### **FREELEXO CAM**

- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 25 %
- Included in delivery: charging station, magnetic band

Incl. 1 battery (18 V | 3.0 Ah | Li-ion)

Art. No. 34.139.91





#### TRUE CORDLESS FREEDOM

No perimeter wire required



#### RAIN SENSOR

for lawn-friendly operation



#### SEPARATE AREAS OF THE GARDEN

Mowing mode for areas of lawn separate from the main garden



#### INTUITIVE KEYPAD

Easy to operate thanks to the mowing time programmer for lawn care every day or every two days



## **CHECKLIST: IS MY GARDEN SUITABLE?**



Lawn area of uniformly green colour



Irregularities in colour (e.g. leaves, scorched areas)



Clearly defined and recognisable lawn edges\*



No clearly recognisable lawn edges



Simple design, uniform shape



Many separate areas, bottlenecks and recesses

## MADE POSSIBLE BY A VIRTUAL FENCE – THANKS TO MAGNETIC TAPE ACCESSORY

Lay the supplied magnetic tape in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic tape and turn away at its limits. In this way you can create off-limit areas at short notice.




#### A TEMPORARY OFF-LIMITS AREA

When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.




#### A NEWLY PLANTED TREE

A tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.



#### A FLOWER MEADOW IN THE GARDEN

A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.



#### LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic tape for optimum demarcation of the mowing area in the garden.

<sup>\*</sup> The lawn area needs to be checked for suitable lawn boundaries



## ROBOT LAWN MOWERS

#### **FREELEXO BT**

**EXPERT** 

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (600 m<sup>2</sup>) and 1 battery (18 V | 2.5 Ah | Li-ion) Art. No. 34.139.46



- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad
- Multi area mowing for complex gardens



#### FREELEXO LCD BT

**EXPERT** 

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (900 m<sup>2</sup>) and 1 battery (18 V | 3.0 Ah | Li-ion) Art. No. 34.139.55

Incl. installation accessories (1200 m<sup>2</sup>) and 1 battery (18 V | 5.2 Ah | Art. No. 43.263.68 Li-ion)

- Brushless motor –
- more power, prolonged operation ■ Individual programming/control
- via smartphone/APP (Bluetooth)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens





## **ROBOT LAWN MOWERS**





- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth 5.0 with longer range)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens
- Special mowing program: Spot Mowing and Border Area Mode

#### FREELEXO LCD BT+

**EXPERT** 

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (300 m<sup>2</sup>) but no battery

Art. No. 34.139.84

Incl. installation accessories (500 m²) and 1 battery (18 V | 2.5 Ah | Li-ion) Art. No. 34.139.82







## RASARRO



#### **RASARRO 36/42**

#### **PROFESSIONAL**

- Cutting width: 42 cm
- For lawn areas of up to approx.: 725 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 5.2 Ah | Li-Ion) and 1 Twincharger Art. No. 34.132.72

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>	725 m <sup>2</sup>	875 m <sup>2</sup>	1100 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



#### TWIN-PACK® TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack® Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.





## RASARRO

#### **RASARRO 36/40**

**PROFESSIONAL** 

- Cutting width: 40 cm
- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 1 Twincharger

Art. No. 34.132.78

Without batteries / chargers

Art. No. 34.132.75

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	220 m²	280 m²	330 m <sup>2</sup>	425 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	850 m <sup>2</sup>	1000 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



#### **RASARRO 36/38**

**PROFESSIONAL** 

- Cutting width: 38 cm
- For lawn areas of up to approx.: 450 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 1 Twincharger

Art. No. 34.131.80

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	250 m²	300 m²	330 m²	400 m <sup>2</sup>	450 m <sup>2</sup>	700 m²	800 m <sup>2</sup>	900 m²

For best performance select batteries with at least 2.5 Ah





- Brushless motor –
- more power, prolonged operation 3-in-1 function:
- mowing, mulching, catching
- Telescopic long handle



Battery capacity (2x batteries required)
 Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





## RASARRO

#### **RASARRO 36/36**

**EXPERT** 

- Cutting width: 36 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|3.0 Ah|Li-lon) and 2 chargers

Art. No. 34.132.82

Without batteries / chargers

Art. No. 34.131.72

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> 2)	200 m²	250 m²	290 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	650 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

**EXPERT** 

- RASARRO 36/34
- Cutting width: 34 cm
- For lawn areas of up to approx.: 300 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 2 batteries (18 V|3.0 Ah|Li-lon) and 2 chargers

Art. No. 34.132.22

Without batteries / chargers

Art. No. 34.132.26

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> 2)	150 m²	200 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m²	800 m²

For best performance select batteries with at least 2.5 Ah





70

Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



#### **DOUBLE TWINPACK TECHNOLOGY**

Double Twinpack devices have slots for two additional rechargeable batteries. If, for example, two additional batteries are inserted. in the GP-CM 36/47 S HW Li lawn mower, such that all four rechargeable battery slots are filled, you can mow double the area without recharging.

Example (GP-CM 36/47 S HW Li): Twinpack  $2x 18 V = 350 m^2$ **Double Twinpack** 2x 18 V + 2x 18 V = $350 \text{ m}^2 + 350 \text{ m}^2 = 700 \text{ m}^2$ 





#### **GP-CM 36/47 S HW Li Brushless**

**PROFESSIONAL** 

- Cutting width / for lawn areas of up to approx.: 47 cm / 700 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 65 mm / central
- Debris bag volume: 75 l

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.132.00

			2.5 Ah					
<b>&gt;&gt;&gt; 2</b> )	125 m²	175 m²	215 m <sup>2</sup>	250 m <sup>2</sup>	350 m²	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m²
<b>&gt;&gt;&gt;</b> 3)	250 m²	350 m²	430 m²	500 m <sup>2</sup>	700 m²	1000 m <sup>2</sup>	1200 m²	1400 m²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge with 2 batteries
   Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)





## GE-CM 36/48 Li M Brushless

**EXPERT** 

- Cutting width: 48 cm
- For lawn areas of up to approx.: 1000 m²
   Cutting height adjustment: 6 levels / 30 75 mm / axial

Article only available without batteries / chargers Art. No. 34.130.54

(IIII) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	150 min	250 m²	260 m <sup>2</sup>	300 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>
<b>&gt;&gt;&gt;</b> 3)	300 m²	500 m <sup>2</sup>	520 m <sup>2</sup>	600 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>	2000 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max, lawn area that can be mown per battery charge with 2 batteries
   Max, lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

## **CORDLESS LAWN MOWERS 36 V**



### GE-CM 36/43 Li M Brushless

**EXPERT** 

- Cutting width: 43 cm
- For lawn areas of up to approx.: 600 m²
   Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.40

Article without batteries / chargers

Art. No. 34.132.46

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	225 m²	300 m²	350 m²	450 m <sup>2</sup>	600 m <sup>2</sup>	750 m²	900 m²	1200 m²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





### **CORDLESS LAWN MOWERS 36 V**

#### GE-CM 36/36 Li Brushless

**EXPERT** 

- Cutting width: 36 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 2 chargers

Art. No. 34.132.30

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	175 m²	250 m²	270 m <sup>2</sup>	350 m <sup>2</sup>	400 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	960 m²

For best performance select batteries with at least 2.5 Ah



#### GE-CM 36/33 Li

**EXPERT** 

- Cutting width: 33 cm
- For lawn areas of up to approx.: 250 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 2 batteries (18 V|2.5 Ah|Li-lon) and 2 chargers

Art. No. 34.132.10

	1.5 Ah							
<b>&gt;&gt;&gt; 2</b> )	150 m²	200 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m²	800 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



## **CORDLESS LAWN MOWERS 18 V**

#### GE-CM 18/33 Li Brushless

**EXPERT** 

- Cutting width: 33 cm
- For lawn areas of up to approx.: 200 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 1 battery (18 V | 4.0 Ah | Li-lon) and 1 chargerArt. No. 34.132.60Without battery / chargerArt. No. 34.132.66

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	50 m²	100 m²	140 m²	180 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

### **EXPERT**

Cutting width: 32 cm

GE-CM 18/32 Li Brushless

- For lawn areas of up to approx.: 180 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Article only available without battery / charger Art. No. 34.132.56

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	50 m²	100 m²	140 m²	180 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah



Individually adjustable long handleGrass box with level indicator

- Battery capacity
- 2 Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)







## **CORDLESS LAWN MOWERS 18 V**

#### GE-CM 18/30 Li Brushless

**EXPERT** 

- Cutting width: 30 cm
- For lawn areas of up to approx.: 150 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Incl. 1 battery (18 V | 3.0 Ah | Li-lon) and 1 charger Art. No. 34.131.55 Without battery / charger Art. No. 34.131.57

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	30 m²	70 m²	100 m <sup>2</sup>	150 m <sup>2</sup>	210 m <sup>2</sup>	270 m <sup>2</sup>	300 m <sup>2</sup>	420 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah



## **CORDLESS PUSH REEL MOWER 18 V**

#### GE-HM 18/38 Li

**EXPERT** 

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 38 mm
- Grass box capacity: 45 I

Article only available without battery / charger Art. No. 34.142.00

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	100 m²	150 m²	190 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah





Battery capacity
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





# PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)



### GC-PM 51/3 S HW-E Li

CLASSIC

- Engine / displacement / power: 4-stroke, 170 cm³, 2.7 kW
   Cutting width: 51 cm

- For lawn areas of up to approx.: 1800 m²
   Cutting height adjustment: 6 levels / 30 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger (3 A)

Art. No. 34.048.70

(IIII) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	130	174	218	261	347	452	522	695
	starts							

Battery capacity



<sup>2)</sup> Number of starts per battery charge (The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.)





### GC-PM 46 SM HW-E Li

CLASSIC

- Engine / displacement / power: 4-stroke, 146 cm³, 2.0 kW
- Cutting width: 46 cm
- For lawn areas of up to approx.: 1400 m<sup>2</sup>
- Cutting height adjustment: 9 levels / 25 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger (3 A)

Art. No. 34.075.60

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	145	193	242	290	386	502	580	772
	starts							

- Battery capacity
- 2) Number of starts per battery charge (The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.)



#### POWER X-CHANGE ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button:

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products





## **CORDLESS SCARIFIERS/AERATORS 36 V**

#### GE-SC 36/35 Li Brushless

**EXPERT** 

- Working width: 35 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs

Article only available without batteries / chargers Art. No. 34.206.80

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	100 m <sup>2</sup>	150 m <sup>2</sup>	190 m²	225 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>







- Brushless motor more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Toolless roller change
- Easy maintenance housing

### GE-SA 36/35 Li Brushless

**EXPERT** 

- Working width: 35 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs
- Number of aerator roller claws: 24 pcs
- Grass box capacity: 28 Liter

Article only available without batteries / chargers Art. No. 34.206.85

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	100 m <sup>2</sup>	150 m²	190 m²	225 m²	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>

- TWIN-PACK®

  18V 1+ 18V 1 36V

  TECHNOLOGY
- Brushless motor more power, prolonged operation
- 3-in-1 combination tool: scarifying, aeration and grass collection
- Toolless roller change
- Easy maintenance housing



<sup>1)</sup> Battery capacity (2x batteries required)

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)



## CORDLESS SCARIFIERS/AERATORS 36 V

#### GC-SC 36/31 Li

CLASSIC

- Working width: 31 cm
- For lawn areas of up to approx.: 350 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 8 double-knives

Article only available without batteries / chargers Art. No. 34.206.60

	1.5 Ah							
<b>&gt;&gt;&gt; 2</b> )	80 m²	100 m²	130 m²	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# **CORDLESS SCARIFIERS/AERATORS 18 V**

### GC-SC 18/28 Li Brushless

CLASSIC

- Working width: 28 cm
- For lawn areas of up to approx.: 200 m<sup>2</sup>
- Working depth adjustment: 3 levels (-2 / -4 / -6) mm) + transport position (+2 mm)
- Number of scarifying blades: 12 rotating blades

Article only available without battery / charger Art. No. 34.206.04

<b>IIII)</b> 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	60 m²	80 m²	100 m <sup>2</sup>	120 m²	160 m²	210 m <sup>2</sup>	240 m²	350 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)





- Brushless motor –
- more power, prolonged operation Optional extensible with aerator
- roller and catch bag
- Individually adjustable long handle



## **CORDLESS UNIVERSAL SPREADER 18 V**

- Electronic speed control (6 settings)
- Flow rate adjustment (8-stage)
- Adjustable spread width



### GE-US 18 Li

**EXPERT** 

- Capacity: 3.3 l
- Spread width: max. 5 m
   Suitable for: fertiliser, grass seed and salt

Article only available without battery / charger Art. No. 34.154.10

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	2 h	3 h	4 h	6 h	7 h	9 h	10 h	14 h

- 1) Battery capacity 2) Max. operating time per battery charge





### **CORDLESS TILLER 36 V**

GE-CR 30 Li

**EXPERT** 

Working width: 30 cm ■ Working depth: 20 cm

Number of blades: 4 pcs

Article only available without batteries / chargers Art. No. 34.312.00

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	15 min	20 min	21 min	25 min	35 min	50 min	60 min	70 min

For best performance select batteries with at least 2.5 Ah

Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode

## **CORDLESS TILLER 18 V**

GE-CR 18/20 Li E

**EXPERT** 

- Working width: 20 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without battery / charger Art. No. 34.312.10

<b>(1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	20-25	20-35	30-40	40-50	50-70	70-90	80-100	100-140
	min							

1) Battery capacity

2) Max. operating time per battery charge in idle mode



Electronic speed control

Split shaft

TWIN-PACK® 18V]+ 18V] 36V TECHNOLOGY

- Height-adjustable wheels for easy transportation
- Ergonomic handlebar
- **■** Folding handlebar







## **CORDLESS EARTH AUGER 18 V**

#### GP-EA 18/150 Li Brushless

**PROFESSIONAL** 

- Drilling diameter: 150 mm
- Drill bit length: 800 mm
- Speed: 125 min<sup>-1</sup>

Article only available without battery / charger Art. No. 34.370.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	10 pcs	15 pcs	20 pcs	30 pcs	40 pcs	50 pcs	60 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- <sup>2)</sup> Max. number of drill holes (depth 40 cm, mixed soil) per battery charge

## **CORDLESS SNOW THROWER 18 V**

### **GE-ST 36/40 Li E Brushless**

**EXPERT** 

- Working width: 40 cm
- Max. snow height: 20 cm
- Throwing distance max.: 6 m

Article only available without batteries / chargers Art. No. 34.170.11

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> 2)	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

For best performance select batteries with at least 4.0 Ah

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time per battery charge in idle mode





- Brushless motor –
- more power, prolonged operation
- Snow ejection direction adjustable
- Electronic speed control (6 settings)
- Integrated carry handle





- Brushless motor more power, prolonged operation
- Clockwise and counter-clockwise operation
- Robust steel frame





## **CORDLESS SCYTHE 36 V**

#### **AGILLO 36/255**

**EXPERT** 

Cutting width blade / thread: 25.5 cm / 30 cm

■ Thread diameter: 2.0 mm

■ Thread length: 8 m

Incl.: line spool and 3-teeth blade

Article only available without batteries / chargers Art. No. 34.113.20

	II) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;</b>	<b>)</b> 2)	20 min	30 min	35 min	45 min	65 min	80 min	90 min	130 min
<b>&gt;&gt;</b>	3)	15 min	25 min	28 min	35 min	45 min	60 min	70 min	90 min

For best performance select batteries with at least 2.5 Ah

1) Battery capacity (2x batteries required)

2) Max. operating time per battery charge in idle mode (blade)

3) Max. operating time per battery charge in idle mode (thread spool)

## **CORDLESS SCYTHE 18 V**

### **AGILLO 18/200**

**EXPERT** 

Cutting width blade / thread: 20 cm / 30 cm

■ Thread diameter: 2.0 mm

■ Thread length: 8 m

Incl.: line spool and 3-teeth blade

Article only available without battery / charger Art. No. 34.113.10

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	15 min	20 min	25 min	35 min	50 min	65 min	75 min	100 min
<b>&gt;&gt;&gt;</b> 3)	10 min	12 min	15 min	20 min	30 min	45 min	55 min	60 min

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

Max. operating time per battery charge in idle mode (blade)
 Max. operating time per battery charge in idle mode (thread spool)







Brushless motor – more power, prolonged operation

Spindle lock

■ Ergonomic and low-vibration bike handle



Spindle lock

High-quality comfort carrying belt





## **CORDLESS LAWN TRIMMERS 36 V**

#### GE-CT 36/30 Li E

**EXPERT** 

- Cutting width: 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.00

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode

### **CORDLESS LAWN TRIMMERS 18 V**

### GE-CT 18/30 Li

**EXPERT** 

- Cutting width: 30 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.50

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

- Battery capacity
- 2) Max. operating time per battery charge in idle mode





## **CORDLESS LAWN TRIMMERS 18 V**

### **GE-CT 18/28 Li TC**

**EXPERT** 

Cutting width: 28 cmThread diameter: 1.6 mm ■ Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.12

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

■ Incl. trimmer cart ('City' Lawn Mower)

■ Motor head rotatable and tiltable

Automatic feeding line spool

### **GE-CT 18/28 Li**

**EXPERT** 

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.42

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

- Telescopic long handle
- Motor head rotatable and tiltable
- Automatic feeding line spool

Battery capacity
 Max. operating time per battery charge in idle mode



## **CORDLESS LAWN TRIMMERS 18 V**

GE-CT 18 Li

Cutting width: 24 cm

■ Incl.: box with 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.111.97 Without battery / charger Art. No. 34.111.72

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

### GC-CT 18/24 Li CLASSIC

Cutting width: 24 cm

Incl.: 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.111.25 Without battery / charger Art. No. 34.111.23

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

### GC-CT 18/24 Li P

CLASSIC

Cutting width: 24 cm

Incl.: 20 plastic blades

Incl. 1 battery (18 V | 1.5 Ah | Li-lon) and 1 charger Art. No. 34.111.02 Without battery / charger Art. No. 34.111.04

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

<sup>1)</sup> Battery capacity



<sup>2)</sup> Max. operating time per battery charge in idle mode



## **CORDLESS LAWN EDGE TRIMMER 18 V**

#### GE-LE 18/190 Li

**EXPERT** 

Min. cutting depth: 36.5 mm

Max. cutting depth: 45 mm

■ Blade length: 190 mm

Cutting depth settings: 36.5 / 40 / 45 mm

Article only available without battery / charger Art. No. 34.243.00

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	20 min	25 min	33 min	45 min	55 min	65 min	75 min	110 min

### **CORDLESS GROUT CLEANER 18 V**

GC-CC 18 Li

CLASSIC

- Charging time / running time: 40 / 45 min
- Diameter of brush: 10 cm
- Incl.: 1 steel brush (15 mm) and 1 nylon brush (10 mm)

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.240.51 Without battery / charger Art. No. 34.240.50

						5.2 Ah		
<b>&gt;&gt;&gt; 2</b> )	30 min	45 min	50 min	60 min	90 min	120 min	135 min	180 min

 3-steps cutting depth adjustment Split shaft ■ Guide wheels – accurate working progress Changeable brushes Guide wheel ■ Infinitely adjustable additional handle

<sup>1)</sup> Battery capacity

<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode



## **CORDLESS SURFACE BRUSH 18 V**

PICOBELLA EXPERT

Max. working width: 215 mm

■ Diameter of brush: 115 mm

■ Idle speed: 800 - 1400 min<sup>-1</sup>

■ 2-in-1 function: wet and dry cleaning

Incl. brush MEDIUM but no battery / charger Art. No. 34.242.00
Incl. brush SOFT but no battery / charger Art. No. 34.242.01

(IIII) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	8-25	10-30	12-34	17-46	20-55	25-70	29-90	40-110
	min							

1) Battery capacity

- Just one work step for thorough, complete wet cleaning thanks to the integrated garden hose connection
- A special side brush is suitable for perimeter work right up to the edge
- Changeable brushes





<sup>2)</sup> Max. operating time per battery charge in idle mode



### **CORDLESS HEDGE TRIMMERS 36 V**

#### GE-CH 36/65 Li

**EXPERT** 

Bar length / cutting length: 720 mm / 650 mm

Spacing between teeth: 30 mm

Article only available without batteries / chargers Art. No. 34.109.60

				3.0 Ah				
<b>&gt;&gt;&gt;&gt;</b> 2)	60 min	75 min	93 min	120 min	150 min	180 min	225 min	300 min



### GE-CH 36/61 Li

**EXPERT** 

- Bar length / cutting length: 670 mm / 610 mm
- Spacing between teeth: 26 mm

Article only available without batteries / chargers Art. No. 34.109.65

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	54 min	72 min	80 min	105 min	144 min	168 min	210 min	288 min



90

Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode



## **CORDLESS HEDGE TRIMMERS 18 V**

#### GE-CH 18/60 Li

**EXPERT** 

- Bar length / cutting length: 670 mm / 600 mm
- Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 34.109.30

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



### **ARCURRA 18/55**

**EXPERT** 

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.109.20

						5.2 Ah		
<b>&gt;&gt;&gt; </b> 2)	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



### **CORDLESS HEDGE TRIMMERS 18 V**

GC-CH 1855/1 Li

CLASSIC

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Incl. 1 battery (18 V | 2.5 Ah | Li-lon) and 1 charger Art. No. 34.105.06 Without battery / charger Art. No. 34.105.02

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	60 min	80 min	100 min	120 min	160 min	210 min	240 min	360 min

CLASSIC GC-CH 18/50 Li

Bar length / cutting length: 550 mm / 500 mm

Spacing between teeth: 17 mm

Article only available without battery / charger Art. No. 34.109.45

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min





Battery capacity
 Max. operating time per battery charge in idle mode



### **CORDLESS HEDGE TRIMMERS 18 V**

GC-CH 1846 Li

CLASSIC

- Bar length / cutting length: 520 mm / 460 mm
- Spacing between teeth: 15 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.106.83 Without battery / charger Art. No. 34.106.42

							6.0 Ah	
<b>&gt;&gt;&gt; 2</b> )	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min



### GC-CH 1846 Li

CLASSIC

- Bar length / cutting length: 520 mm / 460 mm
- Spacing between teeth: 15 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 chargerArt. No. 34.106.83Without battery / chargerArt. No. 34.106.42

			2.5 Ah					
<b>&gt;&gt;&gt;</b> 2)	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode





## CORDLESS MULTIFUNCTIONAL TOOL 36 V



- Bar length (chainsaw): 200 mm
- Chain cutting speed: 10 m/s

- Blade length of hedge trimmer: 450 mm
   Spacing between teeth (hedge trimmer): 24 mm
   Cutting width line spool / 3-teeth blade: 33 cm / 25.5 cm

Article only available without batteries / chargers Art. No. 34.109.01

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	26 min	34 min	41 min	54 min	68 min	86 min	108 min	136 min
<b>&gt;&gt;&gt;</b> 3)	20 min	27 min	33 min	44 min	54 min	66 min	88 min	108 min
<b>&gt;&gt;&gt;</b> 4)	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min
<b>&gt;&gt;&gt;</b> 5)	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (soythe)
   Max. operating time per battery charge in idle mode (lawn trimmer)
   Max. operating time per battery charge in idle mode (telescopic hedge trimmer)
   Max. operating time per battery charge in idle mode (telescopic hedge trimmer)
   Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)



## **CORDLESS MULTIFUNCTIONAL TOOL 18 V**

#### GE-HC 18 Li T

**EXPERT** 

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 3.76 m/s
- Max. cutting length hedge trimmer: 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-lon) and 1 charger Art. No. 34.108.05 Without battery / charger Art. No. 34.108.00

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
<b>&gt;&gt;&gt;</b> 3)	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- Max. cust brough 70 x 70 mm square timber per battery charge (pole-mounted pruner)
   Max. obserating time per battery charge in idle mode (telescopic hedge trimmer)



## CORDLESS POLE-MOUNTED PRUNERS ACCESSORIES

### **Hedge Trimmer**

Can be used for: GE-LC 18 Li T

Art. No. 34.108.18



## CORDLESS TELESCOPIC **HEDGE TRIMMERS ACCESSORIES**

### **Pole Pruner**

Can be used for: GE-HH 18/45 Li T

Art. No. 34.108.35





FITTED WITH OREGON **CHAIN AND BAR** 

## **CORDLESS POLE-MOUNTED PRUNERS 18 V**

### GE-LC 18 Li T

**EXPERT** 

Bar length / cutting length: 200 mm / 170 mm

Cutting speed: 3.76 m/s

Article only available without battery / charger Art. No. 34.108.10

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

For best performance select a battery with at least 2.5 Ah



- 90° swivel attachment for horizontal cuts
- Main handle + motor head tiltable by several settings
- Toolless chain tensioning and changing



### GC-LC 18/20 Li T

CLASSIC

- Bar length / cutting length: 200 mm / 195 mm
- Cutting speed: 5.5 m/s

Article only available without battery / charger Art. No. 34.105.81

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	37 pcs	50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

For best performance select a battery with at least 2.5 Ah

- Telescopic aluminium handle with extension
- Automatic chain lubrication
- Metal gear box



Battery capacity
 Max. cuts through 70 x 70 mm square timber per battery charge

96



# CORDLESS TELESCOPIC HEDGE TRIMMERS 18 V

### **GE-HH 18/45 Li T**

**EXPERT** 

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger Art. No. 34.108.66

				3.0 Ah				
<b>&gt;&gt;&gt; </b> 2)	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

### GC-HH 18/45 Li T

CLASSIC

- Bar length / cutting length: 450 mm / 410 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.105.85

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min



Battery capacity
 Max. operating time per battery charge in idle mode



## TOP-HANDLED CORDLESS CHAINSAW 18 V

#### **FORTEXXA 18/20 TH**

#### **PROFESSIONAL**

- Bar length / cutting length: 200 mm / 140 mm
- Cutting speed: 7 m/s
- Oil tank capacity: 75 ml

Article only available without battery / charger Art. No. 46.000.20

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	210 pcs	240 pcs	320 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. cuts through 70 x 70 mm square timber per battery charge

WARNING: This chainsaw may only be used by trained tree care workers. Misactions in compliance with safety instructions may cause serious injuries.





- Brushless motor more power, prolonged operation
- Tip guard and kickback protection with instant reaction mechanical chain brake
- Perfectly suited for branch removal and tree maintenance

### CORDI ESS CHAINSAW 36 V

### GP-LC 36/35 Li Brushless

#### **PROFESSIONAL**

- Bar length / cutting length: 350 mm / 330 mm
- Cutting speed: 15 m/s
- Oil tank capacity: 115 ml

Article only available without batteries / chargers Art. No. 45.017.80

(IIII) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For best performance select batteries with at least 3.0 Ah

- 1) Battery capacity (2x batteries required)
- <sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge



- Brushless motor more power, prolonged operation
- Toolless chain tensioning and changing
- Automatic chain lubrication



## **CORDLESS CHAINSAWS 18 V**

#### FORTEXXA 18/30

**EXPERT** 

- Bar length / cutting length: 300 mm / 270 mm
- Cutting speed Eco/High: 6.0 / 8.9 m/s
- Oil tank capacity: 160 ml

Article only available without battery / charger Art. No. 46.000.10

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	53 pcs	70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs
<b>&gt;&gt;&gt;</b> 3)	59 pcs	78 pcs	98 pcs	117 pcs	156 pcs	203 pcs	234 pcs	312 pcs

For best performance select a battery with at least 4.0 Ah

- 1) Battery capacity
- 2) Max. cuts through 70 x 70 mm square timber per battery charge (High Power mode)
- 3) Max. cuts through 70 x 70 mm square timber per battery charge (Eco mode)





- Brushless motor more power, prolonged operation
- Adjustable chain speed, depending on the application
- Toolless chain tensioning and changing

### GE-LC 18/25-1 Li

**EXPERT** 

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 4.5 m/s
- Oil tank capacity: 200 ml

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 45.017.60 Without battery / charger Art. No. 45.017.61

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. cuts through 70 x 70 mm square timber per battery charge



- Toolless chain tensioning and changing
- Automatic chain lubrication
- Sturdy stop claws made of metal



### **CORDLESS CHAIN SHARPENER 18 V**

### GE-CS 18 Li

**EXPERT** 

- Grinding wheel diameter (inside): 23 mm
- Grinding wheel diameter (outside): 108 mm
- Grinding wheel thickness: 3.2 mm

Article only available without battery / charger Art. No. 44.999.40

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	180 min	240 min	300 min	390 min	480 min	660 min	780 min	960 min

- 1) Battery capacity
- 2) Max, operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting of the grinding angle
- Clamping device



### **CORDLESS LEAF BLOWER 36 V**

### GP-LB 36/210 Li E Brushless

**PROFESSIONAL** 

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 816 m<sup>3</sup>/h
- Product weight: 2.5 kg (excl. batteries)

Article only available without batteries / chargers Art. No. 34.336.20

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	7-40 min	10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min
<b>&gt;&gt;&gt;</b> 3)	3 min	4 min	5 min	8 min	10 min	12 min	14 min	20 min

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode dependent on the selected speed
   Max. operating time per battery charge in idle mode in TURBO mode





## **CORDLESS LEAF BLOWER 18 V**

### GP-LB 18/200 Li GK Brushless

**PROFESSIONAL** 

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.50

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
<b>&gt;&gt;&gt;</b> 3)	-	-	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah



#### GP-LB 18/200 Li E Brushless

**PROFESSIONAL** 

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.55

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
<b>&gt;&gt;&gt;</b> 3)	-	-	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

Brushless motor – more power, prolonged operation Turbo function Electronic speed control

- Max. operating time per battery charge in idle mode dependent on the selected speed
   Max. operating time per battery charge in idle mode in TURBO mode



### **CORDLESS LEAF BLOWER 18 V**

GC-CL 18 Li E

CLASSIC

Max. blow velocity: 210 km/h

Max. blowing air flow: 105 m³/h
 Idle speed: 1400 - 12000 min⁻¹

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.335.33 Without battery / charger Art. No. 34.335.32

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	10-180	14-240	16-300	20-390	26-480	40-660	42-720	52-960
	min							



## **CORDLESS UNIVERSAL BLOWER 18 V**

### GE-UB 18/250 Li E

**EXPERT** 

Max. blow velocity: 250 km/h

■ Max. blowing air flow: 120 m³/h

■ Idle speed: 15000 min<sup>-1</sup>

Product weight: 1.1 kg

Article only available without battery / charger Art. No. 34.335.42

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	7-48	10-65	12-80	14-96	20-130	24-166	28-192	40-260
	min							

For best performance select a battery with at least 2.5 Ah

multi-part tube with bayonet lock ■ Electronic speed control with LED indication

<sup>■ 3-</sup>in-1: leaf blower, workshop blower or barbecue lighting aid

<sup>1)</sup> Battery capacity

<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

# **CORDLESS LEAF VACUUMS 36 V**

- Brushless motor more power, prolonged operation
- Toolless change between suction and blowing function
- **■** Turbo function





### **VENTURRO 36/240**

- Max. blow velocity: 240 km/h
- Max. suction power: 740 m<sup>3</sup>/h
- Shredding function: 10:1
- Product weight: 4.0 kg

Article only available without batteries / chargers Art. No. 34.336.40

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	7-17 min	9-23 min	10-27 min	14-35 min	17-46 min	21-56 min	27-70 min	34-92 min
<b>&gt;&gt;&gt;</b> 3)	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min
<b>&gt;&gt;&gt;</b> 4)	7-19 min	9-25 min	10-28 min	14-37 min	18-49 min	21-58 min	28-74 min	36-98 min
<b>&gt;&gt;&gt;</b> 5)	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min

For best performance select a battery with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO vacuuming mode)
   Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO blowing mode)







## **CORDLESS LEAF VACUUMS 36 V**

#### GE-CL 36 Li E Brushless

**EXPERT** 

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m³/h
- Shredding function: 10:1

Article only available without batteries / chargers Art. No. 34.336.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	9-20	10-30	13-35	17-45	22-65	27-90	30-100	44-130
	min							
<b>&gt;&gt;&gt;</b> 4)	10-30	13-35	16-40	21-60	27-75	32-105	39-120	54-150
	min							

For best performance select batteries with at least 2.5 Ah

#### GE-CL 36/230 Li E

**EXPERT** 

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m³/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blow) and 4.4 kg (vacuum)

Article only available without batteries / chargers Art. No. 34.336.30

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min
<b>&gt;&gt;&gt;</b> 3)	4 min	5 min	7 min	11 min	13 min	17 min	20 min	26 min
<b>&gt;&gt;&gt;</b> 4)	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
<b>&gt;&gt;&gt;</b> 5)	6 min	7 min	8 min	13 min	15 min	20 min	23 min	30 min

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO vacuuming mode)



- Brushless motor more power, prolonged operation
- Toolless change between suction and blowing function
- Electronic speed control









- Incl. one wide suction tube and one narrow blowing tube
- Toolless change between suction and blowing function
- **Electronic speed control with** turbo function
- 4) Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed 5) Max. operating time per battery charge in idle mode (TURBO blowing mode)

## **CORDLESS LEAF VACUUMS 18 V**



### **VENTURRO 18/210**

**EXPERT** 

- Max. blow velocity: 210 km/h Max. suction power: 500 m<sup>3</sup>/h
- Shredding function: 10:1 ■ Product weight: 3.0 kg

Article only available without battery / charger Art. No. 34.336.25

	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
×	<b>&gt;&gt;&gt;</b> 2)	0-12 min	0-14 min	5-18 min	7-20 min	9-30 min	11-42 min	15-45 min	18-60 min
×	3)	3-10 min	4-15 min	5-19 min	7-22 min	9-32 min	13-40 min	14-48 min	18-64 min

For best performance select a battery with at least 3.0 Ah

- Battery capacity
   Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed







## CORDLESS GRASS AND SHRUB SHEARS 18 V

#### GE-CG 18/100 Li T

#### **EXPERT**

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.10

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

### GE-CG 18/100 Li

**EXPERT** 

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.13

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

### GC-CG 18 Li

CLASSIC

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.70

_				3.0 Ah				
<b>&gt;&gt;&gt;</b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

- Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Blade change without tools
- Laser-cut and diamond-ground blades
- Telescopic long handle





- Laser-cut and diamond-ground blades
- Covered gearbox protecting customer to get in touch with gear oil



Laser-cut and diamond-ground blades

Metal gear box







### **CORDLESS GRASS SHEARS 18 V**

GC-CG 18/1 Li

Cutting width with grass shear blade: 100 mm

Article only available without battery / charger Art. No. 34.103.82

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

Battery capacity



- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip perfect handling and grip

### **CORDLESS PRUNING SAW 18 V**

#### GE-GS 18/150 Li

**EXPERT** 

CLASSIC

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 80 mm / 100 mm

Article only available without battery / charger Art. No. 34.082.90

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs

- Battery capacity
- 2) Max. cuts per battery charge through roundwood (ø 60 mm)

## 2x KWB high quality saw blades 'Made in Switzerland'

- Blade change without tools
- Long-life metal gearing



## **CORDLESS PRUNING SHEARS 18 V**

### GE-LS 18 Li

**EXPERT** 

Max. cutting capacity: 28 mm

Article only available without battery / charger Art. No. 34.083.00

(iiii) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	1070 pcs	1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs

- 1) Battery capacity
- 2) Max. cuts per battery charge through round dry beech wood (ø 15 mm)



- High-quality bypass blades for efficient cutting work
- Belt clip for optimum carrying comfort
- Slim and ergonomic design for effortless working

<sup>2)</sup> Max. operating time per battery charge in idle mode



## **CORDLESS PRESSURE SPRAYERS 18 V**

#### GE-WS 18/150 Li

**EXPERT** 

- Filling capacity of the tank: 15 l
- Max. spraying pressure: 4.5 bar
- Flow rate: 102 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.30

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	2 h	2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

### **GE-WS 18/75 Li**

**EXPERT** 

- Filling capacity of the tank: 7.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.20

<b>IIII</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



<sup>1)</sup> Battery capacity

<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode



# **CORDLESS PRESSURE SPRAYERS 18 V**

#### GE-WS 18/35 Li

**EXPERT** 

- Filling capacity of the tank: 3.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.10

<b>IIII)</b> 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

#### GE-WS 18/10 Li

**EXPERT** 

- Filling capacity of the tank: 1 l
- Max. spraying pressure: 1.3 bar
- Flow rate: 9.6 l/h

Article only available without battery / charger Art. No. 34.252.40

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	12 h	16 h	20 h	24 h	32 h	42 h	48 h	64 h

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



NEW

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode





# ACCESSORIES – BATTERY BELT

#### GE-PB 36/18 Li

**EXPERT** 

Number of battery pockets: 2 pcs

- Cable length: 150 cm
- Length of hip belt: 150 cm

Article only available without batteries / chargers Art. No. 34.083.10

- Multifunctional for 36 V and 18 V devices
- Padded carrying strap
- Large buckle for easy opening and closing



# **CORDIFSS FAN 18 V**

# GE-CF 18/2200 Li

**EXPERT** 

**EXPERT** 

Fan speed: 1200 / 1700 / 2200 rpm

■ Wind speed: 15000 m/h Fan diameter: 180 mm Swiveling range: 0-360°

Article only available without battery / charger Art. No. 34.080.35

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	5.3 h	7 h	8.8 h	10.6 h	14 h	18.3 h	21.2 h	28 h
<b>&gt;&gt;&gt;</b> 3)	2 h	2.6 h	3.3 h	4 h	5.3 h	7 h	8 h	10.6 h

GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY

2) Max. operating time per battery charge at min. revolutions 1) Battery capacity 3) Max. operating time per battery charge at max. revolutions



- Compact, portable cordless fan for indoor and outdoor use
- Infinitely variable adjustment of the fan head
- 3 settings for adjusting the air flow
- Universal use thanks to numerous fastening options

#### GE-HG 18/370 Niro Li

Heating output: 37 kW

- Hot air flow: 1000 m<sup>3</sup>/h
- Max. gas consumption: 2693 g/h
- Max. operating pressure: 1.5 bar

Art. No. 23.308.05 Article only available without battery / charger

	1.5 Ah							
<b>&gt;&gt;&gt;</b>	90 min	140 min	160 min	180 min	280 min	330 min	380 min	560 min

<sup>2)</sup> Max, operating time per battery charge Battery capacity



- No power supply necessary
- Housing made of stainless steel
- Piezo ignition



\* Article only available in Germany and Austria





# CORDLESS AUTOMATIC GARDEN PUMP 36 V

#### **AQUINNA 36/38 F LED AUTOMATIC**

**EXPERT** 

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") AG / 33.3 mm (1") IG

Article only available without batteries / chargers Art. No. 41.804.20

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
<b>NNN</b> 3)	24 min	22 min	40 min	40 min	64 min	84 min	06 min	129 min









- Automatic function and dry running protection
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)
- Suction, water filling and dirt indicator

# CORDLESS GARDEN PUMPS 36 V

#### **AOUINNA 36/38 F LED**

**EXPERT** 

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") AG / 33.3 mm (1") IG

Article only available without batteries / chargers Art. No. 41.804.10

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
<b>&gt;&gt;&gt;</b> 3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min





- Water filling and dirt indicator
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)





<sup>1)</sup> Battery capacity (2x batteries required)

Max. running time in BOOST mode per battery charge
 Max. running time in ECO mode per battery charge



# CORDLESS GARDEN PUMPS 36 V

#### **AQUINNA 36/30**

**EXPERT** 

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (1¼") AG / 33.3 mm (1") IG
- Incl.: suction side adapter to reduce to 33.3 mm (1") ET

Article only available without batteries / chargers Art. No. 41.804.00

•	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
<b>&gt;&gt;&gt;</b> 3	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min

- Battery capacity (2x batteries required)
- 2) Max. running time in BOOST mode per battery charge
- 3) Max. running time in ECO mode per battery charge







- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)

# **CORDLESS GARDEN PUMP 18 V**

# **AOUINNA 18/30 F LED**

**EXPERT** 

- Max. delivery capacity / height: 3000 l/h /28 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") AG / 33.3 mm (1") IG

Article only available without batteries / chargers Art. No. 41.804.30

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
<b>&gt;&gt;&gt;</b> 3)	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
<b>&gt;&gt;&gt;</b> 4)	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
<b>&gt;&gt;&gt;</b> 5)	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

- - Double Runtime Technology 2 battery slots - double runtime works also with one battery
  - Water filling and dirt indicator
  - Integrated: pre-filter and non-return valve
  - 2-step switch (ECO/BOOST mode)



- 1) Battery capacity
- <sup>2)</sup> Max. running time in BOOST mode with 1x 18 V battery per battery charge 3) Max. running time in ECO mode with 1x 18 V battery per battery charge
- 4) Max. running time in BOOST mode with 2x 18 V batteries per battery charge 5) Max, running time in ECO mode with 2x 18 V batteries per battery charge

112



# **CORDLESS SUBMERSIBLE PRESSURE / RAIN BARREL PUMP 18 V**

- Mobile battery box with integrated cable storage holder
- Infinitely adjustable telescopic connection pipe
- Powerful motor high delivery pressure







#### GE-PP 18 RB Li

**EXPERT** 

Max. delivery height / pressure: 20 m / 2 bar
 Max. delivery capacity: 3000 l/h
 Max. immersion depth: 4 m

Article only available without battery / charger Art. No. 41.704.29

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> 2)	12 min	15 min	20 min	25 min	30 min	35 min	45 min	60 min



Battery capacity
 Max. operating time per battery charge in idle mode





# **CORDLESS CLEAR WATER PUMPS 18 V**

GE-SP 18 Li

Max. delivery capacity / height: 5000 l/h / 8 m
Max. immersion depth: 4 m

■ Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate

#### GE-SP 18 LL Li

**EXPERT** 

**EXPERT** 

- Max. delivery capacity / height: 4500 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.60

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min





- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor low level suction

Battery capacity
 Max. operating time per battery charge in idle mode



# **CORDLESS DIRTY WATER PUMPS 18 V**

#### **GE-DP 18/25 Li**

**EXPERT** 

- Max. delivery capacity / height: 7500 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Incl.: universal connection for 25 mm / 33.3 mm / hoses of up to 11/2"

Article only available without battery / charger Art. No. 41.815.80

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
<b>&gt;&gt;&gt;</b> 3)	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)



#### **GE-DP 18/25 LL Li**

**EXPERT** 

- Max. delivery capacity / height: 7000 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Incl.: universal connection for 25 mm / 33.3 mm / hoses of up to 11/2"

Art. No. 41.815.90 Article only available without battery / charger

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
<b>&gt;&gt;&gt;</b> 3)	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- min. SUCTION DEPTH down to 1 mm
- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)
- 2-in-1 function: pumping clear water and dirty water

- Max. running time in BOOST mode per battery charge
   Max. running time in ECO mode per battery charge



# THE POWER X-CHANGE PARTNERS. STRONG COOPERATIONS WITH STRONG PRODUCTS.

"Cordless freedom for everyone." This is the vision of the Einhell brand. It is widely known already that the cordless screwdrivers, circular saws, lawn mowers and all other members of the Power X-Change team can be operated using one and the same battery. To give our customers access to many more Power X-Change applications beyond the workshop and garden we have opened our cordless platform to cooperation partners from other areas. Diverse platform partners are already using our Power X-Change batteries in their own products – and the number is constantly rising!

# MISSION GAMING FUN WITH CORDLESS POWER

# Ride-On Audi R8 Spyder from Jamara

- Dimensions (l x w x h): 106 × 62 × 34 cm
- Top speed: approx. 5 km/h
- Max. weight: 25 kg

Article only available without batteries / chargers

Art. No. 60,000,13

Other colors are available at www.lamara-shop.com

- 2 wheel drives with 2 powerful drive motors
- Bluetooth and USB connection for music
- Chassis suspension at the rear
- Sport type steering wheel and LED headlights



#### PROTECTION FROM THE SUN WITH POWER X-CHANGE

#### **Cantilever sunshade from Doppler**

Our platform partner Doppler has developed a high-grade cantilever sunshade with LED lighting. This impressive sunshade with its surface area of 400 x 300 cm can be illuminated by Power X-Change. Thanks to the Power X-Change LED lighting, this sunshade is able to create the ideal ambience even in twilight hours.





To learn more, go to www.dopplerschirme.com

#### POND CARE WITH POWER X-CHANGE

# Pond sludge vacuum cleaner type F636-PXC from Heissner

Heissner, our platform partner and specialist for ponds, pools and garden lighting, has created the perfect cordless garden helper in the form of its F636-PXC pond sludge vacuum cleaner. The wet and dry vac with self-emptying function is perfect for cleaning small ponds and for emptying pools, paddling pools and much more besides.



#### CAMPING WITH E.POWER TECHNOLOGY

#### **Knaus/Weinsberg - Caravan Charger**

Users of select caravan models from Knaus and Weinsberg can operate their refrigerator, water pump and light with our Power X-Change batteries for up to 10 hours. In other words the customer can supply his caravan independently with energy for a whole night. And of course he can remove the battery at any time for use in any one of the other 250+cordless devices such as a cordless vacuum cleaner or a cordless compressor. What could be more perfect than our Power X-Change battery for your next camping trip!?



To learn more, go to www.knaus.com

# UNLIMITED SUCTION THANKS TO CORDLESS BATTERY CHANGE-OVER SYSTEM

#### SEPURO stick vacuum cleaner from Severin

Severin trusts in the Power X-Change cordless platform for its SEPURO range of innovative handheld and stick vacuum cleaners. With the 3.0 Ah battery included on delivery, the SEPURO PRO achieves either a running time of up to 60 minutes or uninterrupted suction thanks to its battery changeover system! Plus – the vac guarantees uncompromising cleanliness. Whether you prefer the model with a dust bag or without, this cordless vac sets new standards in terms of hygiene and is also allergy-friendly.

To learn more, go to www.severin.com





# **ACCESSORIES – BATTERIES**











#### 5-8 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 8.0 Ah or 5.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.116.00











# With display:

accurate battery

a percentage

charge indication as



# 4-6 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.115.02

# IT'S YOUR CHOICE.




#### WHAT DOES MULTI-AH MEAN?

Thanks to MULTI-Ah technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners)



- 1) In comparison to every standard lithium-ion battery
- 2) In comparison to the 5 Ah battery





To compensate the CO2 emissions of our Power X-Change batteries we are supporting climate protection projects in the areas of sustainable power generation and marine conservation. The compensation covers CO2 emissions of the battery types 3.0 Ah Plus, 4.0 Ah Plus, 4-6 Ah Multi-Ah Plus and 5-8 Ah Multi-Ah Plus from production to sales.

The climate protection projects selected via ClimatePartner are certified in accordance with international standards such as Verified Carbon Standard (VCS) or Gold Standard (GS) and are regularly checked by independent third-parties. This assures and confirms the climate protection impact of the projects (CO2 reduction) on a regular basis.

For detailed information use the QR code.



# **ACCESSORIES - BATTERIES**







## 5.2 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.114.37









# 4.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.53









Testsieger

Heimwerker

## 3.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.01







#### 4.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.113.96





# 2.5 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.115.16





#### 2.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.0 Ah
- Battery power: max. 450 W

Art. No. 45.113.95




# 4.0 Ah BATTERY - 4.0 Ah PLUS BATTERY. WHERE'S THE DIFFERENCE?

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12 % lighter and 13 % more compact than their predecessors - at 100 % power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



<sup>\*)</sup> In comparison to the conventional 4 Ah battery

# **ACCESSORIES – TWIN PACKS**









#### 2x 5.2 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 5.2 Ah
- Battery power: max. 2x 1260 W

Art. No. 45.115.26







# 2x 4.0 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.114.89







#### 2x 2.5 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 2.5 Ah
- Battery power: max. 2x 720 W

Art. No. 45.115.24

# **ACCESSORIES - STARTER KITS**









#### 2x 4.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.121.12







# 2x 3.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 3.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.120.83









# 4-6 Ah PXC Boost Charger Starter Kit

- Items supplied: 1 battery + 1 Power X-Boostcharger 6 A
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)

Battery power: max. 1350 W

Art. No. 45.121.43



#### Ready To Go means:

The battery is ready for use. It can remain in the charger for full, low-stress charging up to 100 %.



# **ACCESSORIES – STARTER KITS**









# 5.2 Ah PXC Fastcharger Starter Kit

- Items supplied: 1 battery + 1 Power X-Fastcharger 4 A
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.121.14







# 4.0 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.120.42







# 2.5 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45,120,97

# **ACCESSORIES - CHARGERS**





- Multi charger for parallel charging of up to 4 batteries
- Always charge two batteries at the same time
- Carrying handle for easy transport

#### 2x2 Power X-Quattro Charger 4 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A per slot (2x2 parallel charging)

Art. No. 45.121.02



# **ACCESSORIES - CHARGERS**

- Extremely short charging time
- Integrated wall mount

# Power X-Boost Charger 6 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 6 A
- Boost mode: 6 A can be selected for lightning speed

Art. No. 45.120.64

- Always charge two batteries at the same time
- Integrated wall mount

#### Power X-Twincharger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A per slot (parallel charging)

Art. No. 45.120.69



#### Power X-Fastcharger 4 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A

Art. No. 45.121.03



OUT-AND-ABOUT AND NO POWER SOCKET AVAILABLE? NO PROBLEM THANKS TO EINHELL!

- 12 V-socket enables charging the Power X-Change battery in the car
- Protection electronics for the car battery

# Power X-Car Charger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A

Art. No. 45.121.13

#### **POWER X-CAR CHARGER**

PROTECTION ELECTRONICS FOR THE CAR BATTERY





# 1. The car battery is weak:

Charging stops and both indicator lights blink in alternation – the car battery is protected from further discharge.

In this state the car can still be started.

2. The car battery is empty:

The indicator lights go out – the car battery is protected from exhaustive discharge.





# POWER X-CHANGE BATTERY ACCESSORY

#### **Battery Protector**

- Items supplied: 1 battery cover
- Suitable for (batteries): for all Power X-Change batteries
- Can be used for (devices): BRILLIANTO, HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li

Art. No. 41.401.51





Protects the battery against dust and moisture

#### **Battery Mounting Gadget**

- Items supplied: 2 battery mounting gadgets, 4 screws, 4 dowels
   Can be used for: for all Power X-Change batteries

Art. No. 45.141.55



- Endless extendable to store an unlimited amount of batteries
- Simple assembling due to tongue and groove connection
- Snap-in function for battery ensures fixation in any position







<sup>\*)</sup> Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.











CRAZY DIY

FRANK THE BOSS OLIVER KAHN THE CLIENT

SKYE THE COOL

THE MUSCLE







# **Einhell Germany AG**

Wiesenweg 22 94405 Landau/Isar Germany

info@einhell.de www.einhell.de

# **Einhell-Service**

Eschenstr. 6 94405 Landau/Isar Germany

Tel. +49 (0) 9951 959 2000

Service-DE@einhell.com www.einhell-service.de

einhell.de

>>>